

PU Stone Adhesive

How to order

PU Stone Adhesive is available in 750 ml canisters packed per 12 in a box. To order your specific PU Stone Adhesive, please find below the article and EAN codes:

Colour:	Article code:	EAN code:
White	12000660	8711595136792

Action pack

Colour:	Article code:	EAN code:
White	12000972	8711595154550



Den Braven
is a member
of FEICA



Centre of Excellence

Better results through Knowledge

Den Braven's company payoff is "Better results through Knowledge". Our Centre of Excellence accumulates knowledge which provides her with the latest market insights, developments and trends. This knowledge is shared within the Den Braven Group and amongst our customers and end-users.

This process enables our relations to achieve higher efficiency and better results. This is the true meaning of "Better results through Knowledge". Visit our website to discover more about what the Centre of Excellence could mean for you!

denbraven.com



Den Braven



PU Stone Adhesive

Polyurethane adhesive
for bonding various types
of stone, gypsum and concrete

BETTER RESULTS THROUGH KNOWLEDGE

PU Stone Adhesive

Polyurethane adhesive for bonding various types of stone, gypsum and concrete

- Quicker & cleaner application
- Stronger, tensile strength after one day > 7 N/mm²
- Applicable to multiple surfaces
- Simplified, modern and labour friendly application
- Reduced adhesive consumption
- Cost reduction
- Reduces storage space on building site
- Environmental friendlier in comparison to mortars



PU Stone Adhesive

Product Descriptions

PU Stone Adhesive is a ready to use high quality polyurethane adhesive for bonding various types of stone, including gypsum, concrete, aerated and lime stone blocks. PU Stone Adhesive is the adhesive for working fast and clean and if no water and/or electricity is available. For the constructional bonding of insulation panels Den Braven Sealants recommends to use the PU Thermo-Adhesive.

Applications

PU Stone Adhesive is a ready to use polyurethane adhesive for adhering non-bearing interior walls of gypsum, concrete, aerated and lime stone blocks. Can also be used to adhere wood.



PU Stone Adhesive

Technical Performances

Tack free time	5 – 15 minutes
Curing time	50 – 150 minutes
Yield	4 – 7 m ²
Fire behaviour	B3
Application temperature	-5°C till +35°C
Temperature resistance	-40°C till +90°C

Visit our website to download the full technical specifications of the PU Stone Adhesive.



Visit Den Braven YouTube channel

Den Braven offers a wide variety of USP, Application and Commercial movies via here website and YouTube channel. Scan the below displayed QR Code to visit the USP movie of the original PU Stone Adhesive :

