

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021

Revision date 06-Aug-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

2.2. Label elements

Contains 1,4-Butanediol dimethacrylate, Ethylene dimethacrylate, Methacrylic acid, monoester with propane-1,2-diol, Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol



Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

Europe - BE Page 1/14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 Revision Number 1

DIOI. If we died a his a in a sadad have an abut a satisface a label at head

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

Please refer also to Safety Data Sheet of Part B.

2.3. Other hazards

Causes mild skin irritation.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
1,4-Butanediol dimethacrylate	218-218-1	2082-81-7	10 - <20	Skin Sens. 1 (H317)		01-2119967415- 30-XXXX
Vinyltoluene	246-562-2	25013-15-4	5 - <10	Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H332) Flam Liq. 3 (H226)		01-2119622074- 50-xxxx
Ethylene dimethacrylate	202-617-2	97-90-5	1 - <5	Skin Sens. 1 (H317) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	01-2119965172- 38-xxxx
Methacrylic acid, monoester with propane-1,2-diol	248-666-3	27813-02-1	1 - <2.5	Eye Irrit. 2 (H319) Skin Sens. 1 (H317)		01-2119490226- 37-XXXX
Reaction mass of 2,2'-[(4-methylphenyl)imi no]bisethanol and 2-[[2-(2-hydroxyethoxy)e thyl](4-methylphenyl)ami no]-ethanol	911-490-9		0.1- <1	Eye Dam. 1 (H318) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Acute Tox. 4 (H302)		01-2119979579- 10-xxxx

Europe - BE Page 2/14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 Revision Number 1

				Aquatic Chronic 3 (H412)	
2-Propanol, 1,1'-[(4-methylphenyl)imi no]bis-	254-075-1	38668-48-3	0.1- <1	Acute Tox. 2 (H300) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	01-2119980937- 17-xxxx
2,2,4-Trimethyl-1,3-pent anediol diisobutyrate	229-934-9	6846-50-0	0.1- <1	Repr. 2 (H361d) Aquatic Chronic 3 (H412)	01-2119451093- 47-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Product is or contains a sensitiser. May cause sensitisation by skin contact. **chemical**

Europe - BE Page 3/14

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 **Revision Number** 1

Carbon oxides. Hazardous combustion products

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 06-Aug-2021

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Please refer also to Safety Data Sheet of Part B. Handle in accordance with good

> industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash it before reuse.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage Conditions**

Keep out of the reach of children.

7.3. Specific end use(s)

Specific use(s) Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Europe - BE Page 4 / 14

Revision date 06-Aug-2021

Revision Number 1

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNE Reaction mass of 2,2'-[(4-met 2-[[2-(2-hydroxyethoxy)ethyl])	thylphenyl)imino]bisethand		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	9.8 mg/m³	
worker Long term Systemic health effects	Dermal	1.4 mg/kg bw/d	

2-Propanol, 1,1'-[(4-methylphenyl)imino]bis- (38668-48-3)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	2.47 mg/m³	
worker Long term Systemic health effects	Dermal	0.7 mg/kg bw/d	

2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Dermal	3.12 mg/kg bw/d	
worker Systemic health effects Long term	Inhalation	110 mg/m³	

Derived No Effect Level (DNEL)				
Reaction mass of 2,2'-[(4-me 2-[[2-(2-hydroxyethoxy)ethyl)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³		
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d		
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d		

2-Propanol, 1,1'-[(4-methylphenyl)imino]bis- (38668-48-3)				
Type	Exposure route	Derived No Effect Level	Safety factor	
		(DNEL)		

Europe - BE Page 5/14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 Revision Number 1

Consumer	Oral	0.25 mg/kg bw/d	
Long term			
Systemic health effects			

2,2,4-Trimethyl-1,3-pentanedi	2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Dermal	18.8 mg/kg bw/d			
Consumer Systemic health effects Long term	Inhalation	32.6 mg/m ³			
Consumer Systemic health effects Long term	Oral	18.8 mg/kg bw/d			

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC) Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol (
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.048 mg/l
Marine water	0.005 mg/l
Microorganisms in sewage treatment	10 mg/l
Freshwater sediment	1.2 mg/kg dry weight
Marine sediment	0.12 mg/kg dry weight
Soil	0.21 mg/kg dry weight

2-Propanol, 1,1'-[(4-methylphenyl)imino]bis- (38668-48-3)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.017 mg/l			
Marine water	0.002 mg/l			
Sewage treatment plant	199.5 mg/l			
Freshwater sediment	0.163 mg/kg dry weight			
Marine sediment	0.016 mg/kg dry weight			
Soil	0.023 mg/kg dry weight			

2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.014 mg/l			
Marine water	0.0014 mg/l			
Freshwater sediment	1.15 mg/kg dry weight			
Marine sediment	0.115 mg/kg dry weight			
Soil	0.926 mg/kg dry weight			
Microorganisms in sewage treatment	3 mg/l			

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Skin and body protectionTight sealing safety goggles.
Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Europe - BE Page 6 / 14

Revision date 06-Aug-2021

Revision Number 1

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste Colour Beige Odour Characteristic

Odour threshold No information available

Property Values Remarks • Method

No data available pН

pH (as aqueous solution) No data available Not applicable °C

Melting point / freezing point No information available . Initial boiling point and boiling No data available

range

Flash point Not applicable . **Evaporation rate** No data available **Flammability** No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapour pressure No data available Relative vapour density Relative density No data available

Water solubility Insoluble

Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available No data available Dynamic viscosity No data available **Explosive properties Oxidising properties** No data available

9.2. Other information

No information available Solid content (%)

VOC Content (%)

Density 1.72

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Europe - BE Page 7/14

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Supercedes Date: 09-Aug-2021

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

Revision date 06-Aug-2021

Revision Number 1

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture

is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Numerical measures of toxicity

No information available

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 8,849.60 mg/kg

 ATEmix (dermal)
 40,404.00 mg/kg

 ATEmix (inhalation-dust/mist)
 20.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,4-Butanediol dimethacrylate 2082-81-7	10066 mg/Kg (Rattus) (OECD 401)	>3000 mg/Kg	
Vinyltoluene 25013-15-4	=2255 mg/kg (Rattus) = 4000 mg/kg (Rattus)	> 5 mL/kg(Rabbit)	
Ethylene dimethacrylate 97-90-5	=3300 mg/kg (Rattus)	> 2000 mg/kg (Rat)	
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	=11200 mg/kg (Rattus)	> 3000 mg/kg (Oryctolagus cuniculus)	
Reaction mass of 2,2'-[(4-methylphenyl)imino]bis ethanol and 2-[[2-(2-hydroxyethoxy)ethyl](4 -methylphenyl)amino]-ethanol	401)	LD50 >2000 mg/Kg Rat OECD Guideline 402)	

Europe - BE Page 8/14

Revision date 06-Aug-2021

Revision Number 1

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021

-	LD50 >25<200 mg/kg bw (Rattus)(OECD guideline 423)	LD50 >2000 mg/kg (Rattus) OECD 402	
38668-48-3 2,2,4-Trimethyl-1,3-pentanedio I diisobutyrate 6846-50-0	>3200 mg/kg (Rattus)	>2000 mg/Kg (Oryctolagus cuniculus)	>5.3 mg/L (Rattus) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. May cause skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

Note: Please refer also to Safety Data Sheet of Part B
PC-ADH-8 Multi-component adhesives and sealants

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name Algae/aquation	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
------------------------------	------	-------------	-----------	----------	----------

Europe - BE Page 9 / 14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 Revision Number 1

	plants		microorganisms		(long-term)
Vinyltoluene	-	LC50:	-	-	
25013-15-4		=23.4mg/L (96h,			
		Pimephales			
		rafinesque)			
Ethylene	-	LC50:	-	-	
dimethacrylate		=15.95mg/L			
97-90-5		(96h, Danio			
		rerio)			
Methacrylic acid,	-	LC50:	-	LC50 > 143 mg/l	
monoester with		=493mg/L (48h,		Daphnia magna	
propane-1,2-diol		Leuciscus idus		(OECD 202)	
27813-02-1		melanotus)			
Reaction mass of	EC50 (72h)	LC50 (96h)	-	EC50 (48h) = 48	
2,2'-[(4-methylphenyl)i	>100 mg/L	>100mg/L		mg/L Daphnia	
mino]bisethanol and	Algae	(Cyprinus		magna	
2-[[2-(2-hydroxyethoxy)	(Pseudokirchner	carpio)			
ethyl](4-methylphenyl)a	ella subcapitata)				
mino]-ethanol					
2-Propanol,	EC50 (72h) =	LC50 (96h) = 17	-	EC50 (48h) =	
1,1'-[(4-methylphenyl)i		mg/L (Danio		28.8 mg/L	
mino]bis-	(Desmodesmus	rerio)		(Daphnia	
38668-48-3	subspicatus)			magna)	
	OECD 201				
2,2,4-Trimethyl-1,3-pen	-	LC50:	-	EC50:	
tanediol diisobutyrate		>1.55mg/L (96h,		>1.46mg/L (48h,	
6846-50-0		Pimephales		Daphnia magna)	
		promelas)			

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information 2-Propanol, 1,1'-[(4-methylphenyl)imino]bis- (38668-48-3)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	.? days	39%	
Biodegradability: CO2 Evolution			
Test (TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Vinyltoluene	3.36	35
25013-15-4		
Methacrylic acid, monoester with	0.97	-
propane-1,2-diol		
27813-02-1		
Reaction mass of	2.17	-
2,2'-[(4-methylphenyl)imino]bisethanol and		
2-[[2-(2-hydroxyethoxy)ethyl](4-methylphe		
nyl)amino]-ethanol		
2-Propanol,	2.1	-

Europe - BE Page 10 / 14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 **Revision Number** 1

1.1'-[(//-methylphenyl)iminolhis-	
3868-48-3	
00000 1 0 0	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
1,4-Butanediol dimethacrylate	The substance is not PBT / vPvB
2082-81-7	
Vinyltoluene	The substance is not PBT / vPvB
25013-15-4	
Ethylene dimethacrylate	The substance is not PBT / vPvB
97-90-5	
Methacrylic acid, monoester with propane-1,2-diol	The substance is not PBT / vPvB
27813-02-1	
2-Propanol, 1,1'-[(4-methylphenyl)imino]bis-	The substance is not PBT / vPvB
38668-48-3	
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate	The substance is not PBT / vPvB
6846-50-0	

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

15 01 10*: Packaging containing residues of or contaminated by dangerous substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards None 14.6 Special Provisions

IMDG

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated

Europe - BE Page 11/14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 Revision Number 1

14.4 Packing group Not regulated

14.5 Marine pollutant NP
14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
1,4-Butanediol dimethacrylate 2082-81-7	RG 65
Ethylene dimethacrylate 97-90-5	RG 65
Methacrylic acid, monoester with propane-1,2-diol 27813-02-1	RG 65

Europe - BE Page 12/14

Revision date 06-Aug-2021

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Supercedes Date: 09-Aug-2021 Revision Number 1

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Denmark

Registration number(s) (P-no.) No information available

Norway

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H300 - Fatal if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H361d - Suspected of damaging the unborn child H412 - Harmful to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 06-Aug-2021

Europe - BE Page 13/14

Revision date 06-Aug-2021 Revision Number 1

ZWALUW FIX-O-CHEM STPSF 280ML (PART-A)

Indication of changes

Supercedes Date: 09-Aug-2021

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 14/14