

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific
information for OEL

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022 Revision Number 2

\_\_\_

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name HERCUSEAL BUILDING & SANITARY 210 CLEAR

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known.

## 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

Emergency Telephone 112

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity Category 3 - (H412)

# 2.2. Label elements

#### **Hazard statements**

H412 - Harmful to aquatic life with long lasting effects

### **EU Specific Hazard Statements**

EUH208 - Contains 3-aminopropyltriethoxysilane & 2-octyl-2H-isothiazol-3-one [OIT]. May produce an allergic reaction

## Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS

Europe - BE Page 1/17

Revision date 04-Aug-2022

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021 Revision Number 2

64-17-5) are formed by hydrolysis and released upon curing. Small amounts of 2-Pentanone oxime (CAS 623-40-5) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains substances considered to be persistent, bio-accumulating and toxic (PBT). This mixture contains substances considered to be very persistent and very bioaccumulating (vPvB).

# SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No.	CAS No.	Classification	Specific	M-Factor	M-Factor	_
			according to Regulation (EC) No. 1272/2008 [CLP]	concentration limit (SCL)		(long-ter m)	registration number
Silica, amorphous 5 - <10 %	231-545-4	7631-86-9	[B]	-	-	-	01-2119379499- 16-XXXX
2-Pentandione, O,O',O"-(methylsilylidyne )trioxime 1 - <5 %	484-460-1	37859-55-5	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)	-	-	-	01-2120004323- 76-XXXX
3-aminopropyltriethoxysil ane 0.1- <1 %	213-048-4	919-30-2	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H302)	-	-	-	01-2119480479- 24-XXXX
Dodecamethylcyclohexa siloxane [D6] 0.1- <1 %	208-762-8	540-97-6	PBT vPvB	-	-	-	01-2119517435- 42-XXXX
Decamethylcyclopentasil oxane [D5] 0.1- <1 %	208-764-9	541-02-6	PBT vPvB	-	-	-	01-2119511367- 43-XXXX
Octamethylcyclotetrasilo xane [D4] 0.1- <1 %	209-136-7	556-67-2	Repr. 2 (H361f) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) [G]	-	-	10	01-2119529238- 36-XXXX
2-octyl-2H-isothiazol-3-o ne [OIT] 0.0015 - <0.01 %	247-761-7	26530-20-1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.0015%	100	100	-

# Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
2-Pentanone oxime 623-40-5	484-470-6	1 - <2.5	Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	-	-	-	01-211998007 9-27-XXXX
Ethanol 64-17-5	200-578-6	1 - <2.5	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319)	-	-	-	01-211945761 0-43-XXXX

Europe - BE Page 2/17

### **HERCUSEAL BUILDING & SANITARY 210 CLEAR**

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022 Revision Number 2


	Methyl alcohol	200-659-6	1 - <2.5	Acute Tox. 3 (H301)	STOT SE 1 ::	-	-	01-211939240
	67-56-1			Acute Tox. 3 (H311)	C>=10%			9-28-XXXX
				Acute Tox. 3 (H331)	STOT SE 2 ::			
				STOT SE 1 (H370)	3%<=C<10%			
L				Flam. Liq. 2 (H225)				

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[B] - Substance with a Community workplace exposure limit

[G] - This substance meets the PBT criteria of REACH, annex XIII

This substance meets the vPvB criteria of REACH, annex XIII

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Silica, amorphous	231-545-4	7631-86-9	1	-	-	-	-
2-Pentandione, O,O',O"-(methylsilylidy ne)trioxime	484-460-1	37859-55-5	1234	-	1	-	-
3-aminopropyltriethoxy silane	213-048-4	919-30-2	1490	-	-	-	-
Dodecamethylcyclohex asiloxane [D6]	208-762-8	540-97-6	-	-	-	-	-
Decamethylcyclopenta siloxane [D5]	208-764-9	541-02-6	-	-	-	-	-
Octamethylcyclotetrasil oxane [D4]	209-136-7	556-67-2	-	-	-	-	-
2-octyl-2H-isothiazol-3- one [OIT]	247-761-7	26530-20-1	125+	311+	0.27+	0.27+	0.27+

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Dodecamethylcyclohexasiloxane [D6]	540-97-6	X
Decamethylcyclopentasiloxane [D5]	541-02-6	X
Octamethylcyclotetrasiloxane [D4]	556-67-2	X

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Europe - BE Page 3/17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021

\_\_\_\_

**Skin contact** In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

**Ingestion** Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Revision date 04-Aug-2022

**Revision Number** 2

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when

the product is exposed to moisture or water. Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1. Extinguishing media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Silicon oxides. Silicon dioxide. Thermal decomposition can lead to release of irritating

and toxic gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

Europe - BE Page 4 / 17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Supercedes Date: 21-Dec-2021

Ensure adequate ventilation. Advice on safe handling

Do not eat, drink or smoke when using this product. Wash hands before breaks and after General hygiene considerations

work. Take off all contaminated clothing and wash it before reuse.

Revision date 04-Aug-2022

**Revision Number** 2

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon **Exposure Limits** 

curing Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released

upon curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union	
Silica, amorphous	TWA: 0.1 mg/m <sup>3</sup>	
7631-86-9		
Methyl alcohol	TWA: 200 ppm	
67-56-1	TWA: 260 mg/m <sup>3</sup>	
	*	

**Derived No Effect Level (DNEL)** No information available

<b>Derived No Effect Level (DNEL</b>	Derived No Effect Level (DNEL)					
3-aminopropyltriethoxysilane	(919-30-2)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	59 mg/m³				
worker Short term Systemic health effects	Inhalation	59 mg/m³				
worker Long term Systemic health effects	Dermal	8.3 mg/kg bw/d				
worker Short term	Dermal	8.3 mg/kg bw/d				

Europe - BE Page 5/17

## **HERCUSEAL BUILDING & SANITARY 210 CLEAR**

Consumer

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022 Revision Number 2

Systemic health effects Dodecamethylcyclohexasiloxane [D6] (540-97-6) Derived No Effect Level Safety factor Type Exposure route (DNEL) 11 mg/m<sup>3</sup> worker Inhalation Long term Systemic health effects worker Inhalation 1.22 mg/m<sup>3</sup> Long term Local health effects worker Inhalation 6.1 mg/m<sup>3</sup> Short term Local health effects Decamethylcyclopentasiloxane [D5] (541-02-6) Derived No Effect Level Type Exposure route Safety factor (DNEL) worker Inhalation 9.7 mg/m<sup>3</sup> Short term Systemic health effects worker Inhalation 24.2 mg/m<sup>3</sup> Short term Local health effects worker Inhalation 97.3 mg/m<sup>3</sup> Long term Systemic health effects worker Inhalation 24.2 mg/m<sup>3</sup> Long term Local health effects Octamethylcyclotetrasiloxane [D4] (556-67-2) Derived No Effect Level Safety factor Type Exposure route (DNEL) worker Inhalation 73 mg/m<sup>3</sup> Long term Systemic health effects Derived No Effect Level (DNEL) 3-aminopropyltriethoxysilane (919-30-2) Type Exposure route Derived No Effect Level Safety factor (DNEL) Consumer Inhalation 17 mg/m<sup>3</sup> Long term Systemic health effects Consumer Inhalation 17.4 mg/m<sup>3</sup> Short term Systemic health effects Consumer Dermal 5 mg/kg bw/d Long term Systemic health effects Consumer Dermal 5 mg/kg bw/d Short term Systemic health effects Dodecamethylcyclohexasiloxane [D6] (540-97-6) Derived No Effect Level Exposure route Safety factor Type

Europe - BE Page 6/17

Inhalation

(DNEL)

2.7 mg/m<sup>3</sup>

# **HERCUSEAL BUILDING & SANITARY 210 CLEAR**

Revision date 04-Aug-2022 Revision Number 2 Supercedes Date: 21-Dec-2021

Long term Systemic health effects			
Consumer Long term Local health effects	Inhalation	0.3 mg/m³	
Consumer Short term Local health effects	Inhalation	1.5 mg/m³	
Consumer Long term Systemic health effects	Oral	1.7 mg/kg bw/d	
Consumer Short term Systemic health effects	Oral	1.7 mg/kg bw/d	

Decamethylcyclopentasilox	ane [D5] (541-02-6)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Short term Systemic health effects	Inhalation	17.3 mg/m³	
Consumer Short term Systemic health effects	Oral	5 mg/kg bw/d	
Consumer Short term Local health effects	Inhalation	4.3 mg/m³	
Consumer Long term Systemic health effects	Inhalation	17.3 mg/m³	
Consumer Long term Systemic health effects	Oral	5 mg/kg bw/d	
Consumer Long term Local health effects	Inhalation	4.3 mg/m <sup>3</sup>	

Octamethylcyclotetrasiloxane [D4	Octamethylcyclotetrasiloxane [D4] (556-67-2)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Long term Systemic health effects	Inhalation	13 mg/m³				
Consumer Long term Systemic health effects	Oral	3.7 mg/kg bw/d				

## Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)				
3-aminopropyltriethoxysilane (919-30-2)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.33 mg/l			
Marine water	0.033 mg/l			

Dodecamethylcyclohexasiloxane [D6] (540-97-6)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Sewage treatment plant	>1 mg/l			
Freshwater sediment	13 mg/kg dry weight			

Europe - BE Page 7/17

#### **HERCUSEAL BUILDING & SANITARY 210 CLEAR**

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022 Revision Number 2

	<del>_</del>
Marine sediment	1.3 mg/kg dry weight
Soil	3.77 mg/kg dry weight
Sewage treatment plant	>10 mg/l

Decamethylcyclopentasiloxane [D5] (541-02-6)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	>0.0012 mg/l			
Marine water	>0.00012 mg/l			
Freshwater sediment	2.4 mg/kg			
Freshwater sediment	2.4 mg/kg			
Soil	1.1 mg/kg			
Sewage treatment plant	>10 mg/l			

Octamethylcyclotetrasiloxane [D4] (556-67-2)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.0015 mg/l		
Marine water	0.00015 mg/l		
Freshwater sediment	3 mg/kg		
Marine sediment	0.3 mg/kg		
Soil	0.54 mg/kg		
Sewage treatment plant	10 mg/l		

### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respiratory

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste

**Colour** See section 1 for more information

Odour Characteristic.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 100 °C

Europe - BE Page 8/17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Revision date 04-Aug-2022

**Revision Number** 2

\_\_\_\_\_

Autoignition temperature

Decomposition temperature

Supercedes Date: 21-Dec-2021

pH pecomposition temperation

. No doto o

No data available

None known Not applicable. Insoluble in water.

None known

None known

pH (as aqueous solution)
No data available
Kinematic viscosity
> 21 mm²/s

Dynamic viscosity

No data available

Water solubility No data available. Product cures with

moisture

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density
No data available
Liquid Density
1.01 g/cm³

Relative vapour density No data available None known

**Particle characteristics** 

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Europe - BE Page 9/17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021 **Revision Number** 2

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

Revision date 04-Aug-2022

upon curing.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### **Product Information**

Based on available data, the classification criteria are not met. Inhalation

Based on available data, the classification criteria are not met. Eye contact

Skin contact May cause sensitisation in susceptible persons.

Based on available data, the classification criteria are not met. Ingestion

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

38,896.30 mg/kg ATEmix (oral) ATEmix (dermal) 63,072.60 mg/kg

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silica, amorphous	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus	>2.2 mg/L (Rattus) 1 h
		cuniculus)	
2-Pentandione,	LD50 =1234 mg/kg bw	LD50 > 2000 mg/kg (Rattus)	-
O,O',O"-(methylsilylidyne)trioxi	(Rattus)(OECD guideline 425)	EU Method B.3	
me			
3-aminopropyltriethoxysilane	LD50 = 1490 mg/kg (Rat,	LD50 = 4076  mg/kg	LC50 >144 mg/L (6h) Rat
	female) EPA OTS 798.1175	(Oryctolagus cuniculus) EPA	(Vapour)
	LD50 = 2690 mg/kg (Rat, male)	OTS 798.1100	
	EPA OTS 798.1175		
Dodecamethylcyclohexasiloxa	>50 g/kg (Rattus)	> 2000 mg/kg (Rat)	-
ne [D6]			
Decamethylcyclopentasiloxane	>24134 mg/kg (Rattus)	> 16 mL/kg (Oryctolagus	= 8.67 mg/L (Rat) 4 h
[D5]		cuniculus)	-
Octamethylcyclotetrasiloxane	LD50 > 4800 mg/kg (Rattus)	LD50 > 2400 mg/kg (Rattus)	=36 g/m³ (Rattus) 4 h
[D4]	OECD 401	OECD 402	-
2-octyl-2H-isothiazol-3-one	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus	-
[OIT]		cuniculus)	

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Europe - BE Page 10 / 17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021

•

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Corrosive
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation No classification is proposed, based on conclusive negative data. OECD Test No. 406:

Skin Sensitisation. No sensitisation responses were observed. May cause sensitisation in

Revision date 04-Aug-2022

**Revision Number** 2

susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin	Mouse		sensitising
Sensitisation: Local Lymph Node			-
Assay			

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

<u> </u>	
Chemical name	European Union
Octamethylcyclotetrasiloxane [D4]	Repr. 2

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Europe - BE Page 11/17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022 Revision Number 2

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Silica, amorphous	EC50: =440mg/L	LC50:	-	EC50:		(iong tonn)
7631-86-9	(72h,	=5000mg/L (96h,		=7600mg/L (48h,		
7001 00 0	Pseudokirchneri	Brachydanio		Ceriodaphnia		
	ella subcapitata)	rerio)		dubia)		
2-Pentandione,	EC50 (72h) = 88		_	EC50 (48h) >100		
O,O',O"-(methylsilylidy	mg/L	mg/L		mg/L (Daphnia		
ne)trioxime	(Pseudokirchner			magna) static		
	iella subcapitata)			(OECD guideline		
	OECD 201	(OECD		202)		
		Guideline 203)		- /		
3-aminopropyltriethoxy	EC50 (72h)	LC50 (96h) >934	-	EC50 (48h) =331		
silane	>1000 mg/L	mg/L		mg/L Daphnia		
919-30-2	Green algae	(Brachydanio		magna (OECD		
		rerio) (OÉCD TG		TG 202)		
	`subspicatus)	<sup>203</sup> )		,		
	(OECD TG 201)	•				
Dodecamethylcyclohex	-	90 d NOEC ≥14	-	NOEC ≥4.6 µg/L		
asiloxane [D6]		μg/L,		(21d) OECD 211		
540-97-6		Oncorhynchus		Daphnia Magna		
		mykiss				
Octamethylcyclotetrasil	-	LC50:	-	EC50:		10
oxane [D4]		>1000mg/L (96h,		=25.2mg/L (24h,		
556-67-2		Lepomis		Daphnia magna)		
		macrochirus)				
		LC50: >500mg/L				
		(96h,				
		Brachydanio				
		rerio)				
2-octyl-2H-isothiazol-3-	EC50(72h) =	LC50 (96h) =	-	EC50 (48h)	100	100
one [OIT]	0.084 mg/L	0.036 mg/L		=0.42 mg/L		
26530-20-1	(Scenedesmus	(Oncorhynchus		(OECD 202)		
	subspicatus)	mykiss) (OECD				
	(OECD 201)	203)				

## 12.2. Persistence and degradability

Persistence and degradability No information available.

Silica, amorphous (7631-86-9)

Method	Exposure time	Value	Results
			The methods for determining
			biodegradability are not
			applicable to inorganic
			substances

Dodecamethylcyclohexasiloxane [D6] (540-97-6)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	4.5%	Not readily biodegradable
Biodegradability: CO2 Evolution Test	-		
(TG 301 B)			

Decamethylcyclopentasiloxane [D5] (541-02-6)

Method	Exposure time	Value	Results
OECD 310	28 days	0.14%	Not readily biodegradable

Octamethylcyclotetrasiloxane [D4] (556-67-2) 2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Exposure time	Value	Results
mounou		1 4 4 4 4	i rocaito

Europe - BE Page 12/17

Revision date 04-Aug-2022

### **HERCUSEAL BUILDING & SANITARY 210 CLEAR**

Supercedes Date: 21-Dec-2021 Revision Number 2

OECD Test No. 309: Aerobic	Half-life 0.6-1.4 d	Readily biodegradable
Mineralization in Surface Water -		

## 12.3. Bioaccumulative potential

Simulation Biodegradation Test

#### **Bioaccumulation**

**Component Information** 

Component information		
Chemical name	Partition coefficient	
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime	1.25	
3-aminopropyltriethoxysilane	1.7	
Dodecamethylcyclohexasiloxane [D6]	8.87	
Decamethylcyclopentasiloxane [D5]	8.02	
Octamethylcyclotetrasiloxane [D4]	6.49	
2-octyl-2H-isothiazol-3-one [OIT]	2.92	

## 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Silica, amorphous	The substance is not PBT / vPvB PBT assessment does
	not apply
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime	The substance is not PBT / vPvB
3-aminopropyltriethoxysilane	The substance is not PBT / vPvB
Dodecamethylcyclohexasiloxane [D6]	PBT / vPvB substance
Decamethylcyclopentasiloxane [D5]	PBT / vPvB substance
Octamethylcyclotetrasiloxane [D4]	PBT & vPvB
2-octyl-2H-isothiazol-3-one [OIT]	The substance is not PBT / vPvB

## 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

Component Information		
Octamethylcyclotetrasiloxane [D4] (556-67-2)		
Method	Results	Species
Endocrine disrupting properties in accordance	Negative.	
with the criteria set out in Commission		
Delegated Regulation (EU) 2017/2100(3) or		
Commission Regulation (EU) 2018/605(4).		

## 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Europe - BE Page 13/17

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022

**Revision Number** 2

Contaminated packaging Handle contaminated packages in the same way as the product itself.

08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous **European Waste Catalogue** 

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## SECTION 14: Transport information

### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable None

14.6 Special Provisions

#### **IMDG**

14.1 UN number or ID number Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP

14.6 Special Provisions None

Not applicable 14.7 Maritime transport in bulk

according to IMO instruments

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No
Dodecamethylcyclohexasiloxane [D6]	540-97-6
Decamethylcyclopentasiloxane [D5]	541-02-6
Octamethylcyclotetrasiloxane [D4]	556-67-2

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Decamethylcyclopentasiloxane [D5]	541-02-6	70.

Europe - BE Page 14/17

#### **HERCUSEAL BUILDING & SANITARY 210 CLEAR**

Supercedes Date: 21-Dec-2021

Revision date 04-Aug-2022 Revision Number 2

	_	
Octamethylcyclotetrasiloxane [D4]	556-67-2	70.

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Biocidal Products Regulation (EU) No 528/2012 (BPR)

This product contains a biocidal product for the preservation of the dry film Contains: 2-octyl-2H-isothiazol-3-one [OIT]

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### **Persistent Organic Pollutants**

Not applicable

#### National regulations

#### **France**

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Silica, amorphous 7631-86-9	RG 25
2-octyl-2H-isothiazol-3-one [OIT] 26530-20-1	RG 5,RG 14,RG 15,RG 15bis,RG 20bis RG 2,RG 9,RG 14,RG 20,RG 34,RG 65

## Germany

## Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) obviously hazardous to water (WGK 2)

#### Netherlands

# List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands - List of Carcinogens
Octamethylcyclotetrasiloxane [D4]	Fertility (Category 2)
556-67-2	

#### **Denmark**

Registration number(s) (P-no.) No information available

Norway

Registration number(s) (PRN-no.) No information available

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

## SECTION 16: Other information

Europe - BE Page 15/17

Revision date 04-Aug-2022

**Revision Number** 2

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

\_\_\_\_\_

# Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

Supercedes Date: 21-Dec-2021

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

#### Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	On basis of test data
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

# Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Europe - BE Page 16/17

Revision date 04-Aug-2022

**Revision Number** 2

**HERCUSEAL BUILDING & SANITARY 210 CLEAR** 

\_\_\_\_

Acute Exposure Guideline Level(s) (AEGL(s))

Supercedes Date: 21-Dec-2021

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 04-Aug-2022

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - BE Page 17/17