

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific
information for OEL

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name ZWALUW HYBRISEAL 2PS WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust

EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

PBT & vPvB

Europe - BE Page 1 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022 Revision date 30-Oct-2020 Revision Number 1

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Classification according to	Specific concentration limit	M-Factor	M-Factor (long-ter	REACH registration
			Regulation (EC) No. 1272/2008 [CLP]	(SCL)		m)	number
Limestone 40 - <80 %	215-279-6	1317-65-3	[C]	-	-	-	[5]
Poly[oxy(methyl-1,2-etha nediyl)],.alpha[3-(dimet hoxymethylsilyl)propyl] omega[3-(dimethoxyme thylsilyl)propoxy-] 10 - <20 %	-	75009-88-0	-	-	-	-	[7]
Diisononyl 1,2-cyclohexanedicarbox ylate 10 - <20 %	431-890-2	166412-78-8	-	-	-	-	01-0000017810- 74-XXXX
Carbonic acid, calcium salt (1:1) 5 - <10 %	207-439-9	471-34-1	[C]	-	-	ı	01-2119486795- 18-XXXX
Titanium dioxide 1 - <3 %	236-675-5	13463-67-7	[C]	-	-	-	01-2119489379- 17-XXXX
RD 14153 (confidential) 1 - <2.5 %	943-665-0		-	-	-	-	01-2120127784- 52-xxxx
Trimethoxyvinylsilane 1 - <2.5 %	220-449-8	2768-02-7	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	-	-	01-2119513215- 52-XXXX
Glycerides, C16-18 and C18-unsaturated monoand di- 1 - <2.5 %	270-312-1	68424-61-3	=	-	-	-	Exempt
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate 0.1- <1 %	258-207-9	52829-07-9	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	-	-	01-2119537297- 32-XXXX
Stearic acid 0.1- <1 %	200-313-4	57-11-4	-	-	-	=	01-2119543894- 28-XXXX
Fatty acids, C16-18, sodium salts 0.1- <1 %	270-299-2	68424-38-4	Aquatic Chronic 3 (H412)	-	-	-	01-2119648083- 41-xxxx
Dioctyltin oxide 0.1- <1 %	212-791-1	870-08-6	STOT SE 2 (H371)	-	-	=	01-2119971268- 27-xxxx
Silane, trimethoxypropyl- 0.1- <1 %	213-926-7	1067-25-0	Skin Irrit. 2 (H315) Flam. Liquid 3 (H226)	-	-	-	01-2119972314- 37-XXXX
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-	201-074-9	77-99-6	Repr. 2 (H361fd)	-	-	-	01-2119486799- 10-xxxx
0.01 - <0.05 % Methyl alcohol 0.01 - <0.05 %	200-659-6	67-56-1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119392409- 28-XXXX

Europe - BE Page 2/21

ZWALUW HYBRISEAL 2PS WHITE
Supercedes Date: 21-Apr-2022
Revision Number 1

			Flam. Liq. 2 (H225)				
Methyl alcohol 0.0015 - <0.01 %	200-659-6	67-56-1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	01-2119392409- 28-XXXX
Methyl silicate <0.0015 %	211-656-4	681-84-5	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Acute Tox. 1 (H330) Flam Liq. 3 (H226)	-	-	-	01-2119957658- 18-XXXX

Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Limestone	215-279-6	1317-65-3	-	-	-	-	-
Diisononyl 1,2-cyclohexanedicarb oxylate	431-890-2	166412-78-8	-	-	-	1	-
Carbonic acid, calcium salt (1:1)	207-439-9	471-34-1	-	-	3.003	1	-
Titanium dioxide	236-675-5	13463-67-7	=	-	-	=	-
RD 14153 (confidential)	943-665-0		-	-	-	-	-
Trimethoxyvinylsilane	220-449-8	2768-02-7	-	-	-	11	-
Glycerides, C16-18 and C18-unsaturated mono- and di-	270-312-1	68424-61-3	-	-	-	-	-
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate	258-207-9	52829-07-9	-	-	-	-	-
Stearic acid	200-313-4	57-11-4	-	-	-	-	-
Fatty acids, C16-18, sodium salts	270-299-2	68424-38-4	-	-	-	-	-
Dioctyltin oxide	212-791-1	870-08-6	-	-	-	-	-
Silane, trimethoxypropyl-	213-926-7	1067-25-0	-	-	-	-	-
1,3-Propanediol, 2-ethyl-2-(hydroxymeth yl)-	201-074-9	77-99-6	-	-	-	-	-
Methyl alcohol	200-659-6	67-56-1	100	300	-	3	=
Methyl alcohol	200-659-6	67-56-1	100	300	0.501	3	-
Methyl silicate	211-656-4	681-84-5	-	-	0.005	0.05	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No	SVHC candidates
Limestone	1317-65-3	
Poly[oxy(methyl-1,2-ethanediyl)],.alp ha[3-(dimethoxymethylsilyl)propyl] omega[3-(dimethoxymethylsilyl)propoxy-]		

Europe - BE Page 3 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

XXXX Proprietary	UNKNOWN	
Diisononyl	166412-78-8	
1,2-cyclohexanedicarboxylate		
Carbonic acid, calcium salt (1:1)	471-34-1	
Titanium dioxide	13463-67-7	
RD 14153 (confidential)		
Trimethoxyvinylsilane	2768-02-7	
Silane adhesion promoter	UNKNOWN	
Glycerides, C16-18 and	68424-61-3	
C18-unsaturated mono- and di-		
Bis(2,2,6,6-tetramethyl-4-piperidyl)	52829-07-9	
sebacate		
Stearic acid	57-11-4	
Fatty acids, C16-18, sodium salts	68424-38-4	
Dioctyltin oxide	870-08-6	
Silane, trimethoxypropyl-	1067-25-0	
1,3-Propanediol,	77-99-6	
2-ethyl-2-(hydroxymethyl)-		
Methyl alcohol	67-56-1	
Methyl alcohol	67-56-1	
Methyl silicate	681-84-5	

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Europe - BE Page 4/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 **Revision Number** 1

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable Extinguishing Media

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon **Hazardous combustion products**

dioxide.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Do not get Personal precautions

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. **Methods for containment**

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Europe - BE Page 5 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³
	*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Titanium dioxide (13463-67-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Local health effects	Inhalation	10 mg/m³			

Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	27,6 mg/m ³		
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker	Inhalation	2.82 mg/m ³		
Short term				
Long term				
Systemic health effects				
worker	Dermal	1.6 mg/kg		
Long term				
Systemic health effects				

Dioctyltin oxide (870-08-6)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker	Dermal	0.05 mg/kg bw/d			
Long term					
Systemic health effects					
worker	Inhalation	0.004 mg/m ³			
Long term					

Europe - BE Page 6 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Consumer

Long term

Revision date 30-Oct-2020 Revision Number 1

Systemic health effects			
I,3-Propanediol, 2-ethyl-2-(h	vdroxymethyl)- (77-99-6)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker	Inhalation	3.3 mg/m³	
Long term Systemic health effects			
worker	Dermal	0.94 mg/kg bw/d	
Long term Systemic health effects			
Methyl alcohol (67-56-1)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Short term Systemic health effects worker	Dermal	40 mg/kg bw/d	
Short term Systemic health effects worker	Inhalation	260 mg/m³	
Short term Local health effects worker	Inhalation	260 mg/m³	
Long term Systemic health effects worker	Dermal	40 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	260 mg/m³	
Long term Local health effects worker	Inhalation	260 mg/m³	
Derived No Effect Level (DNI			
Fitanium dioxide (13463-67-7 Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	
Frimethoxyvinylsilane (2768-	02.7\	·	
Гуре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	
Bis(2,2,6,6-tetramethyl-4-pip	eridyl) sehacate (52820-07-	.9)	
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Dermal	0.8 mg/kg	

Europe - BE Page 7/21

0.8 mg/kg

Dermal

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

Systemic health effects			
Consumer	Oral	0.4 mg/kg	
Long term			
Systemic health effects			

Dioctyltin oxide (870-08-6)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d		
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d		
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³		

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)				
Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Inhalation	0.58 mg/m³			
Dermal	0.34 mg/kg bw/d			
Oral	0.34 mg/kg bw/d			
	Exposure route Inhalation Dermal	Exposure route Derived No Effect Level (DNEL) Inhalation 0.58 mg/m³ Dermal 0.34 mg/kg bw/d		

Methyl alcohol (67-56-1)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer	Dermal	8 mg/kg bw/d		
Short term				
Systemic health effects				
Consumer	Oral	8 mg/kg bw/d		
Short term				
Systemic health effects				
Consumer	Inhalation	50 mg/m³		
Long term				
Local health effects				
Consumer	Oral	8 mg/kg bw/d		
Long term				
Systemic health effects				
Consumer	Inhalation	50 mg/m³		
Long term				
Systemic health effects				
Consumer	Dermal	50 mg/kg bw/d		
Long term				
Systemic health effects				

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l

Europe - BE Page 8 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 **Revision Number** 1

Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Trimethoxyvinylsilane (2768-02-7)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.34 mg/l		
Marine water	0.034 mg/l		
Microorganisms in sewage treatment	110 mg/l		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374 None under normal use conditions.

Skin and body protection

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Solid Physical state Appearance Paste

See section 1 for more information Colour

Odour Characteristic

Odour threshold No information available

Values Remarks • Method Property

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

Europe - BE Page 9/21

Supercedes Date: 21-Apr-2022 **Revision Number** 1

limits

Lower flammability or explosive No data available

limits

> 60 °C Flash point

Autoignition temperature No data available None known None known **Decomposition temperature**

ZWALUW HYBRISEAL 2PS WHITE

No data available pH (as aqueous solution) Kinematic viscosity > 21 mm²/s

Dynamic viscosity No data available Water solubility No data available

Product cures with

Revision date 30-Oct-2020

moisture

No data available Solubility(ies) None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known **Bulk Density** No data available

Density 1.49

Relative vapour densityNo data available None known

Particle characteristics

No information available Particle Size No information available Particle Size

Distribution

None known

9.2. Other information

VOC Content (%)

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not

freeze. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Europe - BE Page 10 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020

Revision Number 1

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation

in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 22,102.40 mg/kg ATEmix (inhalation-vapour) 850.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Limestone	>5000 mg/kg (Rattus)	-	-	
Diisononyl	LD50 >5000 mg/kg Rat (OECD	LD50 >2000 mg/Kg (Rattus)	-	
1,2-cyclohexanedicarboxylate	423)	(OECD 402)		
Carbonic acid, calcium salt	LD50 > 2000 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	LC50 (4h) >3mg/ml (Rattus)	
(1:1)	OECD 420	OECD 402		
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h	
RD 14153 (confidential)	>2000 mg/Kg (Rattus) (OECD	>2000 mg/Kg (Rattus) OECD	-	
	402)	425)		
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m³ (Rattus) 4 h	
dyl) sebacate	OECD 423	OECD 402		
Stearic acid	>5000 mg/Kg (Oryctolagus	> 5 g/kg (Oryctolagus	-	
	cuniculus)	cuniculus)		
Fatty acids, C16-18, sodium	>5000 mg/kg (Rattus)(OECD	> 2 mL/kg (Oryctolagus	-	
salts	401)	cuniculus)		
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-	
		OECD 402		
Silane, trimethoxypropyl-	-	-	> 22200 mg/m³ (Rat) 4 h	
1,3-Propanediol,	=14700 mg/kg (Rattus)	>10000 mg/Kg (Oryctolagus	>0.29 mg/L (Rattus) 4 h	

Europe - BE Page 11/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

2-ethyl-2-(hydroxymethyl)-		cuniculus)	
Methyl alcohol	=2500 mg/kg (Rattus)	200-1000 mg/kg (Oryctolagus	=22500 ppm (Rattus) 8 h =
·		cuniculus)	64000 ppm (Rattus) 4 h
Methyl alcohol	=2500 mg/kg (Rattus)	200-1000 mg/kg (Oryctolagus	=22500 ppm (Rattus) 8 h =
·		cuniculus)	64000 ppm (Rattus) 4 h
Methyl silicate	-	= 17 g/kg (Oryctolagus	= 392.17 mg/m ³ (Rat) 4 h
·		cuniculus) = 17 mL/kg	-
		(Oryctolagus cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye		l ·			
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Titanium dioxide (13463-67-7)

111011111111111111111111111111111111111			
Method	Species	Exposure route	Results

Europe - BE Page 12/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	Not a skin sensitiser
OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay	Mouse	Dermal	Not a skin sensitiser

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation, Buehler test	_		

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses
Sensitisation	-		were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Third and A straight and the straight an				
Method	Species	Results		
OECD Test No. 422: Combined Repeated	Rat	Not Classifiable		
Dose Toxicity Study with the				
Reproduction/Developmental Toxicity				
Screening Test				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant
Toxicity Study		

1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- (77-99-6)

1,0 1 Topanodioi, 2 othyr 2 (Hydroxyrnothyr) (77	1,6 1 repaired is, 2 early 2 (ill arex) mearly) (17 ee e)				
Method	Species	Results			
OECD Test No. 422: Combined Repeated	Rat	NOAEL 800 mg/kg bw/d			
Dose Toxicity Study with the					
Reproduction/Developmental Toxicity					
Screening Test					
OECD Test No. 414: Pre-natal Development	Rat	LOAEL 100 mg/kg bw/d			
Toxicity Study					

STOT - single exposure

Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Europe - BE Page 13/21

Revision date 30-Oct-2020

Supercedes Date: 21-Apr-2022 Revision Number 1

Dioctyltin oxide (870-08-6)

ZWALUW HYBRISEAL 2PS WHITE

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated					bw/d May cause
Dose Toxicity Study with					damage to the
the					following organs:
Reproduction/Developme					Immune system
ntal Toxicity Screening					
Test					

STOT - repeated exposureBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg
					bw/d

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Limestone	CE50 (72h)	CL50	-	CE50 (48h)		
1317-65-3	>200mg/L Algae	(96h)>10000mg/		>1000 mg/L		
	(Desmondesmu	L		Daphnia Magna		
	s subspicatus)	(Oncorhynchus				
		mykiss)				
Diisononyl	EC50 >100mg/L	LC50 (96h)	-	EC50 (48h)		
1,2-cyclohexanedicarb	(Scenedesmus	>100mg/L		>100 mg/L		
oxylate	subspicatus)	(Brachydanio		(Daphnia		
166412-78-8	Static (OECD	rerio) Static		magna) Static		
	201)	(OECD 203)		(OECD 202)		
Carbonic acid, calcium	IC50 72H Algae	CL50 96H	-	EC50 48H		
salt (1:1)	>1000 mg/l	>1000 mg/l		Daphnia >1000		
471-34-1				mg/l		
Titanium dioxide	LC50 (96h)	-	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					
	variegatus)					
	OECD 203					

Europe - BE Page 14/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022 Revision date 30-Oct-2020 Revision Number 1

Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)	
2768-02-7	957 mg/l	191 mg/l		168.7mg/l	
	(Desmodesmus	(Oncorhynchus		(Daphnia	
	subspicatus)	mykiss)		magna)	
	EU Method C.3	11191(133)		illagila)	
Dia/2.2.6.6 totromothyl		LCEO (OCh)		LC50 48Hr 8.58	
Bis(2,2,6,6-tetramethyl-		LC50 (96h) =	-		
4-piperidyl) sebacate	0.705 mg/l	5.29 mg/l		mg/l (Daphnia	
52829-07-9		(Oryzias latipes)		magna)	
	ella subcapitata)				
Stearic acid	EC50 >1016	LC50 >1000	-	-	
57-11-4	mg/l	mg/l , 48 Hour			
	72Hr microbial	-			
	growth inhibition				
Fatty acids, C16-18,	EC50:			EC50: =86mg/L	
sodium salts	=120mg/L (96h,			(72h,	
68424-38-4	Desmodesmus			Gammarus	
00424-30-4	subspicatus)				
Di chi il		1.050 (001.)		pulex)	
Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)	
870-08-6	>1.000 mg/l	>0,09 mg/l		>0,21 mg/l	
	(bacteria)	(Brachydanio		(Daphnia magna	
	(Activated	rerio (zebra))		(Dappnia	
	Sludge,	(Acute Toxicity		magna))	
	Respiration	Test)		(Daphnia sp.	
	Inhibition Test)	,		Acute	
	'			Immobilisation	
				Test)	
Silane,	_	LC50 (96h)	_	EC50 (48h)	
trimethoxypropyl-	_	>746 mg/L	_	>816mg/L	
1067-25-0					
1067-25-0		(Danio rerio)		(Daphnia	
		Semi-static		magna) Static	
1,3-Propanediol,	-	LC50:	-	EC50: 10330 -	
2-ethyl-2-(hydroxymeth		=21700mg/L		16360mg/L	
yl)-		(48h,		(48h, Daphnia	
77-99-6		Cyprinodon)		magna) EC50:	
				=13000mg/L	
				(48h, Daphnia	
				species)	
Methyl alcohol	_	LC50 96 h >	EC50 = 39000	-	
67-56-1		100 mg/L	mg/L 25 min		
07-30-1		(Pimephales	EC50 = 40000		
		promelas static)	mg/L 15 min		
			EC50 = 43000		
			mg/L 5 min		
Methyl alcohol	-	LC50:	EC50 = 39000	-	
67-56-1		>100mg/L (96h,	mg/L 25 min		
		Pimephales	EC50 = 40000		
		promelas) LC50:	mg/L 15 min		
		18 - 20mL/L	EC50 = 43000		
		(96h,	mg/L 5 min		
		Oncorhynchus	J :		
		mykiss) LC50:			
		=28200mg/L			
		•			
		(96h, Pimephales			
		promelas) LC50:			
		13500 -			
		17600mg/L			
		(96h, Lepomis			
		macrochirus)			
		LC50: 19500 -			
		20700mg/L			
		(96h,			
		\ - ~,		1	

Europe - BE Page 15/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022 Revision date 30-Oct-2020 Revision Number 1

Oncorhynchus		
mykiss)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation	28 days	Total organic carbon (TOC)	24 % Moderate
Test - Aerobic Sewage Treatment			
A: Activated Sludge Units; B:			
Biofilms			

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Component information	
Chemical name	Partition coefficient
Limestone	0.9
Poly[oxy(methyl-1,2-ethanediyl)],.alpha[3-(dimethoxymethylsil	1.8
yl)propyl]omega[3-(dimethoxymethylsilyl)propoxy-]	
Diisononyl 1,2-cyclohexanedicarboxylate	10
RD 14153 (confidential)	1.0
Trimethoxyvinylsilane	1.1
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
Stearic acid	8
Fatty acids, C16-18, sodium salts	3.3
Dioctyltin oxide	6
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-	-0.47
Methyl alcohol	-0.77
Methyl alcohol	-0.77

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Diisononyl 1,2-cyclohexanedicarboxylate	The substance is not PBT / vPvB
Carbonic acid, calcium salt (1:1)	The substance is not PBT / vPvB PBT assessment does
	not apply
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Trimethoxyvinylsilane	The substance is not PBT / vPvB

Europe - BE Page 16/21

ZWALUW HYBRISEAL 2PS WHITE

Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020

Revision Number 1

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
Stearic acid	The substance is not PBT / vPvB
Fatty acids, C16-18, sodium salts	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB
Silane, trimethoxypropyl-	The substance is not PBT / vPvB
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-	The substance is not PBT / vPvB PBT assessment does
	not apply
Methyl alcohol	The substance is not PBT / vPvB PBT assessment does
	not apply Further information relevant for the PBT
	assessment is necessary
Methyl alcohol	The substance is not PBT / vPvB PBT assessment does
	not apply Further information relevant for the PBT
	assessment is necessary
Methyl silicate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

European Waste Catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information

Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special Provisions	None
14.7 Maritime transport in bulk	Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated

Europe - BE Page 17/21

Revision date 30-Oct-2020

Supercedes Date: 21-Apr-2022 Revision Number 1

14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

ZWALUW HYBRISEAL 2PS WHITE

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No
Limestone	1317-65-3
Poly[oxy(methyl-1,2-ethanediyl)],.alpha[3-(dimethoxymethylsilyl)propy I]omega[3-(dimethoxymethylsilyl)propoxy-]	75009-88-0
XXXX Proprietary	UNKNOWN
Diisononyl 1,2-cyclohexanedicarboxylate	166412-78-8
Carbonic acid, calcium salt (1:1)	471-34-1
Titanium dioxide	13463-67-7
RD 14153 (confidential)	
Trimethoxyvinylsilane	2768-02-7
Silane adhesion promoter	UNKNOWN
Glycerides, C16-18 and C18-unsaturated mono- and di-	68424-61-3
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9
Stearic acid	57-11-4
Fatty acids, C16-18, sodium salts	68424-38-4
Dioctyltin oxide	870-08-6
Silane, trimethoxypropyl-	1067-25-0
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-	77-99-6
Methyl alcohol	67-56-1
Methyl alcohol	67-56-1
Methyl silicate	681-84-5

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH
		Annex XVII
Limestone	1317-65-3	
Poly[oxy(methyl-1,2-ethanediyl)],.alpha[3-(dimethoxymethylsilyl)propy I]omega[3-(dimethoxymethylsilyl)propoxy-]	75009-88-0	
XXXX Proprietary	UNKNOWN	
Diisononyl 1,2-cyclohexanedicarboxylate	166412-78-8	
Carbonic acid, calcium salt (1:1)	471-34-1	
Titanium dioxide	13463-67-7	
RD 14153 (confidential)		

Europe - BE Page 18/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

Trimethoxyvinylsilane	2768-02-7	
Silane adhesion promoter	UNKNOWN	
Glycerides, C16-18 and C18-unsaturated mono- and di-	68424-61-3	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	
Stearic acid	57-11-4	
Fatty acids, C16-18, sodium salts	68424-38-4	
Dioctyltin oxide	870-08-6	20
Silane, trimethoxypropyl-	1067-25-0	
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-	77-99-6	
Methyl alcohol	67-56-1	69.
Methyl alcohol	67-56-1	69.
Methyl silicate	681-84-5	

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltin oxide - 870-08-6	l.1

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methyl alcohol - 67-56-1	500	5000
Methyl alcohol - 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Chemical name	French RG number
Methyl alcohol 67-56-1	RG 84
Methyl alcohol 67-56-1	RG 84

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Europe - BE Page 19/21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020

Revision Number 1

Denmark

Registration number(s) (P-no.) No information available

Norway

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H351i - Suspected of causing cancer if inhaled

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value BGW Biological limit value Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	On basis of test data
mutagenicity	Calculation method
Carcinogenicity	On basis of test data
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method

Europe - BE Page 20 / 21

ZWALUW HYBRISEAL 2PS WHITE Supercedes Date: 21-Apr-2022

Revision date 30-Oct-2020 Revision Number 1

Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By Product Safety & Regulatory Affairs

Revision date 30-Oct-2020

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 21/21