

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

Revision date 10-Nov-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of	the com	npany/undertaking
---	---------	-------------------

1.1.	Product	identifier	

Product Name ZWALUW ACRYL-LM WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised against Not to be used in production of toys or childcare articles.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available.

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Titanium dioxide 0.1- <1 %	236-675-5	13463-67-7	[C]	-	-	-	01-2119489379- 17-XXXX
Ethylene glycol 0.1- <1 %	203-473-3	107-21-1	STOT RE 2 (H373) Acute Tox. 4 (H302)	-	-	-	01-2119456816- 28-XXXX
Sodium hydroxide 0.1- <1 %	215-185-5	1310-73-2	Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)	Eye Irrit. 2 :: 0.5%<=C<2% Eye Dam. 1 :: C>=2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	-	-	01-2119457892- 27-XXXX
1,2-benzisothiazol-3(2H) -one [BIT] 0.01 - <0.05 %	220-120-9	2634-33-5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	1	-	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) [C(M)IT/MIT] <0.0015 %	611-341-5	55965-84-9	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	100	100	01-2120764691- 48-XXXX

Full text of H- and EUH-phrases: see section 16

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No	CAS No	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
			mg/kg	mg/kg	LC50 - 4 hour -	LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		

ZWALUW ACRYL-LM WHITE Supercedes Date: 17-Jun-2022

Revision date 10-Nov-2021 Revision Number 1

Chemical name	EC No	CAS No	Oral LD50	Dermal LD50	Inhalation	Inhalation	Inhalation
			mg/kg	mg/kg		LC50 - 4 hour -	LC50 - 4 hour -
					dust/mist -	vapour - mg/L	gas - ppm
					mg/L		
Titanium dioxide	236-675-5	13463-67-7	-	-	-	-	-
Ethylene glycol	203-473-3	107-21-1	500	-	-	-	-
Sodium hydroxide	215-185-5	1310-73-2	325	-	-	-	-
1,2-benzisothiazol-3(2	220-120-9	2634-33-5	670	-	0.25	-	-
H)-one [BIT]							
reaction mass of	611-341-5	55965-84-9	100	87.12	0.33	-	-
5-chloro-2-methyl-2H-is							
othiazol-3-one and							
2-methyl-2H-isothiazol-							
3-one (3:1) [C(M)IT/MIT]							

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	В
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.					
Inhalation	IF exposed or concerned: Get medical advice/attention. Remove to fresh air.					
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.					
Skin contact	In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water.					
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.					
4.2. Most important symptoms and	d effects, both acute and delayed					
Symptoms	No information available.					
4.3. Indication of any immediate medical attention and special treatment needed						
Note to doctors	Treat symptomatically.					
SECTION 5: Firefighting measures						
5.1. Extinguishing media						

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

ZWALUW ACRYL-LM WHITE Supercedes Date: 17-Jun-2022

	surrounding environment.						
Unsuitable extinguishing media	No information available.						
5.2. Special hazards arising from th	.2. Special hazards arising from the substance or mixture						
Specific hazards arising from the chemical	No information available.						
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).						
5.3. Advice for firefighters							
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.						
SECTION 6: Accidental relea	se measures						
6.1. Personal precautions, protectiv	ve equipment and emergency procedures						
Personal precautions	Ensure adequate ventilation.						
For emergency responders	Use personal protection recommended in Section 8.						
6.2. Environmental precautions							
Environmental precautions	See Section 12 for additional Ecological Information.						
6.3. Methods and material for conta	ninment and cleaning up						
Methods for containment	Do not scatter spilled material with high pressure water streams.						
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.						
Prevention of secondary hazards	ndary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.						
6.4. Reference to other sections							
Reference to other sections	See section 8 for more information. See section 13 for more information.						
SECTION 7: Handling and st	orage						
7.1. Precautions for safe handling	-						
Advice on safe handling	Ensure adequate ventilation.						
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.						
7.2. Conditions for safe storage, in	cluding any incompatibilities						
Storage Conditions	Keep from freezing.						
Recommended storage temperature	Do not freeze. Keep at temperatures between 5 and 35 °C.						
7.3. Specific end use(s)							
Specific use(s) Sealant.							
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.						

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

Other information

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Ethylene glycol	TWA: 20 ppm
107-21-1	TWA: 52 mg/m ³
	STEL: 40 ppm
	STEL: 104 mg/m ³
	*

Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNEL)								
Titanium dioxide (13463-67-7)	Titanium dioxide (13463-67-7)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor					
worker Long term Local health effects	Inhalation	10 mg/m³						

Ethylene glycol (107-21-1)	Ethylene glycol (107-21-1)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Long term Systemic health effects	Dermal	106 mg/kg bw/d					
worker Long term Systemic health effects	Inhalation	35 mg/m³					

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Long term Systemic health effects	Inhalation	6.81 mg/m³				
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d				

Derived No Effect Level (DNEL)				
Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d		

Ethylene glycol (107-21-1)			
Туре	Exposure route	Derived No Effect Level	Safety factor

ZWALUW ACRYL-LM WHITE

		(DNEL)	
Consumer	Dermal	53 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Inhalation	7 mg/m ³	
Long term			
Local health effects			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)		
Titanium dioxide (13463-67-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Marine water	0.0184 mg/l	
Freshwater sediment	1000 mg/kg	
Freshwater	0.184 mg/l	
Marine sediment	100 mg/kg	
Soil	100 mg/kg	
Microorganisms in sewage treatment	100 mg/l	
Freshwater - intermittent	0.193 mg/l	

Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	37 mg/kg dry weight
Marine sediment	3.7 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 μg/l		
Marine water	0.403 µg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 µg/l		
Marine sediment	4.99 µg/l		
Soil	3 mg/kg dry weight		

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection

Skin and body protection

Tight sealing safety goggles. Suitable protective clothing.

Environmental exposure controls No information available.

ZWALUW ACRYL-LM WHITE Supercedes Date: 17-Jun-2022

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties		
Physical state	Solid		
Appearance	Paste		
Colour	See section 1 for more information		
Odour	Characteristic.		
Odour threshold	No information available		
Property	Values	Remarks • Method	
Melting point / freezing point	$\overline{= 0 \circ C}$		
Initial boiling point and boiling	= 100 °C		
range			
Flammability	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Flash point	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature		None known	
рН	7 - 9		
pH (as aqueous solution)	No data available	None known	
Kinematic viscosity	> 21 mm²/s		
Dynamic viscosity	No data available		
Water solubility	No data available Soluble in water		
Solubility(ies)	No data available	None known	
Partition coefficient	No data available	None known	
Vapour pressure	No data available	None known	
Relative density	No data available	None known	
Bulk Density	No data available		
Liquid Density	1.67		
Relative vapour density	No data available	None known	
Particle characteristics			
Particle Size	No information available		
Particle Size Distribution	No information available		

9.2. Other information VOC Content (%)

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical	None.	

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

impact			
Sensitivity to static discharge	None.		
10.3. Possibility of hazardous reac	tions		
Possibility of hazardous reactions	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	Do not freeze.		
10.5. Incompatible materials			
Incompatible materials	None known based on information supplied.		
10.6. Hazardous decomposition pr	oducts_		
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.		
SECTION 11: Toxicological	information		
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008		
Information on likely routes of exposure			
Product Information			
Product Information Inhalation	Based on available data, the classification criteria are not met.		
Inhalation	Based on available data, the classification criteria are not met.		
Inhalation Eye contact	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		
Inhalation Eye contact Skin contact Ingestion	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		
Inhalation Eye contact Skin contact Ingestion	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		
Inhalation Eye contact Skin contact Ingestion Symptoms related to the physical,	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. chemical and toxicological characteristics		
Inhalation Eye contact Skin contact Ingestion <u>Symptoms related to the physical,</u> Symptoms	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. chemical and toxicological characteristics		

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h
Ethylene glycol	ATE 500 mg/kg	= 10600 mg/kg (Rattus) = 9530 μL/kg (Oryctolagus cuniculus)	> 2.5 mg/L (Rat)6 h
Sodium hydroxide	=325 mg/kg (Rattus)	= 1350 mg/kg (Oryctolagus cuniculus)	-
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	ATE = 0.25 mg/L
reaction mass of 5-chloro-2-methyl-2H-isothiazo	-	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h

ZWALUW ACRYL-LM WHITE

	—	
I-3-one and		
2-methyl-2H-isothiazol-3-one		
(3:1) [C(M)IT/MIT]		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser
Sensitisation			
OECD Test No. 429: Skin	Mouse	Dermal	Not a skin sensitiser
Sensitisation: Local Lymph Node			
Assay			

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT single exposure Based on available data, the classification criteria are not met.
- STOT repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
Ethylene glycol 107-21-1	EC50: 6500 - 13000mg/L (96h, Pseudokirchneri ella subcapitata)	LC50 96 h = 16000 mg/L (Poecilia reticulata static)	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min	EC50: =46300mg/L (48h, Daphnia magna)		
Sodium hydroxide 1310-73-2	-	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5		LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006	-	EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test	-	-	
(TG 301 B)			1

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Ethylene glycol	-1.36
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
Sodium hydroxide	The substance is not PBT / vPvB PBT assessment does
	not apply
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Keep from freezing. Land transport (ADR/RID) 14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards **14.6 Special Provisions** None IMDG 14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Marine pollutant NP

ZWALUW ACRYL-LM WHITE Supercedes Date: 17-Jun-2022

14.6 Special Provisions 14.7 Maritime transport in bulk according to IMO instruments	None Not applicable
Air transport (ICAO-TI / IATA-DGR)	_
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Ethylene glycol	RG 84
107-21-1	RG 5,RG 14,RG 15,RG 15bis,RG 20bis
1,2-benzisothiazol-3(2H)-one [BIT]	RG 65
2634-33-5	

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

DenmarkRegistration number(s) (P-no.)No information availableNorwayRegistration number(s) (PRN-no.)No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Notes assigned to an entry

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Note V: If the substance is to be placed on the market as fibres (with diameter < $3 \mu m$, length > $5 \mu m$ and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

Notes relating to the classification and labelling of mixtures

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

ZWALUW ACRYL-LM WHITE

Supercedes Date: 17-Jun-2022

Revision date 10-Nov-2021 Revision Number 1

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By	Product Safety & Regulatory Affairs
Revision date	10-Nov-2021
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at

ZWALUW ACRYL-LM WHITE Supercedes Date: 17-Jun-2022 Revision date 10-Nov-2021 Revision Number 1

the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet