

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

PRIMAIRE 250 Supercedes Date: 21-Sep-2021 Revision date 21-Sep-2021 Revision Number 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	PRIMAIRE 250
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Primers.
Uses advised against	Consumer use.

1.3. Details of the supplier of the safety data sheet

### **Company Name**

Den Braven France SARL Z.I. du Meux - B.P. 20114 60881 Le Meux Cedex France Tel: + 33 344 91 68 68

### E-mail address

SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**Emergency Telephone** 

No information available

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Dermal	Category 4 - (H312)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Reproductive toxicity	Category 1B - (H360D)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 3 - (H226)

### 2.2. Label elements

Contains Xylene (reaction mass of ethylbenzene and xylene), Isocyanic acid, polymethylenepolyphenylene ester, 2-Pyrrolidinone, 1-ethyl-

PRIMAIRE 250 Supercedes Date: 21-Sep-2021 Revision date 21-Sep-2021 Revision Number 1



Signal word Danger

### Hazard statements

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H360D May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.
- H226 Flammable liquid and vapour.

### Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor
- P370 + P378 In case of fire: Use dry sodium carbonate to extinguish

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

### Special provisions concerning the labelling of certain mixtures

Reserved for industrial and professional use. As from 24 August 2023 adequate training is required before industrial or professional use.

### **Additional information**

This product requires tactile warnings if supplied to the general public.

### 2.3. Other hazards

No information available.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification	Specific	REACH
				according to	concentration limit	registration

### PRIMAIRE 250 Supercedes Date: 21-Sep-2021

### Revision date 21-Sep-2021 Revision Number 1

				Regulation (EC) No. 1272/2008	(SCL)	number
Xylene (reaction mass of	905-588-0	RR-45541-4	40 - <80	[CLP] STOT SE 3	STOT RE 2 (H373)::	01-2119488216-
ethylbenzene and xylene)	903-366-0	KK-45041-4	40 - <00	(H335) STOT RE 2 (H373) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H312) Acute Tox. 4 (H322) Flam Liq. 3 (H226) Aquatic Chronic 3 (H412)	C>=10%	32-xxxx
Isocyanic acid, polymethylenepolypheny lene ester	618-498-9	9016-87-9	5 - <10	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	STOT SE 3 :: C>=5% Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1%	[7]
2-Pyrrolidinone, 1-ethyl-	220-250-6	2687-91-4	1 - <3	Repr. 1B (H360D) Eye Dam. 1 (H318)		01-2119472138- 36-XXXX
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)p henyl isocyanate / methylene diphenyl diisocyanate	905-806-4	RR-99853-8	0.01 - <0.1	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	STOT SE 3 :: C>=5% Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1%	01-2119457015- 45-xxxx

NOTE [7] - No registration number is given for this substance because it is a polymer exempted from registration according to the provisions of Article 2(9) of REACH. All monomers or other substances within the polymer are registered or exempt from registration

### Full text of H- and EUH-phrases: see section 16

### PRIMAIRE 250 Supercedes Date: 21-Sep-2021

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### SECTION 4: First aid measures 4.1. Description of first aid measures **General advice** Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. May cause allergic respiratory reaction. If breathing has stopped, give artificial Inhalation respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eye contact Keep eve wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. If symptoms persist, call a doctor. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious Ingestion person. May produce an allergic reaction. Get immediate medical advice/attention. Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. 4.2. Most important symptoms and effects, both acute and delayed May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ Symptoms or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation. 4.3. Indication of any immediate medical attention and special treatment needed Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. Unsuitable extinguishing media No information available. 5.2. Special hazards arising from the substance or mixture Risk of ignition. Keep product and empty container away from heat and sources of Specific hazards arising from the chemical ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### PRIMAIRE 250 Supercedes Date: 21-Sep-2021

	Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. Nitrogen oxides (NOx). Aldehydes. Hydrogen cyanide. Isocyanates.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
6.2. Environmental precautions		
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.	
6.3. Methods and material for cont	ainment and cleaning up	
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated

PRIMAIRE 250	
Supercedes Date:	21-Sep-2021

	clothing and shoes. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Protect from moisture.
7.3. Specific end use(s)	
<b>Specific use(s)</b> Primers.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

# Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Xylene (reaction mass of ethylbenzene and xylene)	TWA: 50 ppm
RR-45541-4	TWA: 221 mg/m <sup>3</sup>
	STEL: 100 ppm
	STEL: 442 mg/m <sup>3</sup>
	S*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DN	EL)				
Xylene (reaction mass of ethylbenzene and xylene) (RR-45541-4)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	221 mg/m³			
worker Long term Local health effects	Inhalation	221 mg/m³			
worker Short term Local health effects	Inhalation	442 mg/m³			
worker Long term Systemic health effects	Dermal	212 mg/kg bw/d			

2-Pyrrolidinone, 1-ethyl- (2687-91-4)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	16.75 mg/m³			
worker Long term Local health effects	Inhalation	10.05 mg/m³			
worker Long term Systemic health effects	Dermal	4 mg/kg bw/d			

Derived No Effect Level (DNEL)				
Xylene (reaction mass of eth	ylbenzene and xylene) (RR	-45541-4)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	65.3 mg/m³		
Consumer Short term Systemic health effects	Inhalation	260 mg/m³		
Consumer Long term Local health effects	Inhalation	65.3 mg/m³		
Consumer Short term Local health effects	Inhalation	260 mg/m³		
Consumer Long term Systemic health effects	Dermal	125 mg/kg bw/d		
Consumer Long term Systemic health effects	Oral	12.5 mg/kg bw/d		

2-Pyrrolidinone, 1-ethyl- (2687-91-4)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	1 mg/m <sup>3</sup>		
Consumer Long term Local health effects	Inhalation	1.2 mg/m <sup>3</sup>		
Consumer Short term Local health effects	Inhalation	1.2 mg/m <sup>3</sup>		
Consumer Long term Systemic health effects	Dermal	0.5 mg/kg bw/d		
Consumer Long term Systemic health effects	Oral	0.5 mg/kg bw/d		

**Predicted No Effect Concentration** No information available. **(PNEC)** 

Predicted No Effect Concentration (PNEC)				
Xylene (reaction mass of ethylbenzene and xylene) (RR-45541-4)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.327 mg/l			
Marine water	0.327 mg/l			
Microorganisms in sewage treatment	6.58 mg/l			
Freshwater sediment	12.46 mg/kg dry weight			
Soil	2.31 mg/kg dry weight			

### 2-Pyrrolidinone, 1-ethyl- (2687-91-4)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.25 mg/l
Marine water	0.025 mg/l
Microorganisms in sewage treatment	10 mg/l
Freshwater sediment	1.25 mg/kg dry weight
Marine sediment	0.125 mg/kg dry weight
Soil	0.104 mg/kg dry weight

### 8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.

### Personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Suitable protective clothing.

Environmental exposure controls No information available.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties


Physical state Appearance Colour Odour Odour threshold	Liquid Liquid Amber Characteristic No information available	
Property	Values	Rer
рН		
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling	<ul> <li>No data available</li> </ul>	
range		
Flash point	= 42 °C	
Evaporation rate	No data available	
Flammability	Not applicable for liquids .	
Flammability Limit in Air		
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits Vanaur procesure	No data available	
Vapour pressure	No data available	
Relative vapour density	No data available	
Relative density Water solubility	No data available	
•	No data available	
Solubility(ies) Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Decomposition temperature		

Remarks • Method

PRIMAIRE 250 Supercedes Date: 21-Sep-2021

Kinematic viscosity Dynamic viscosity Explosive properties Oxidising properties	23 mm²/s 23 mPa s No data available No data available
9.2. Other information Solid content (%) VOC Content (%) Liquid Density	No information available 0.93
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	Yes.
10.3. Possibility of hazardous read	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture. Heat, flames and sparks. Protect from moisture.
10.5. Incompatible materials	
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.
10.6. Hazardous decomposition pr	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological	information
11.1. Information on toxicological	effects
Information on likely routes of exp	osure
Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause sensitisation in susceptible persons. (based on components). May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitisation by skin contact. Causes skin irritation.

PRIMAIRE 250 Supercedes Date: 21-Sep-2021



 Acute toxicity

 The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (dermal)
 1,314.00 mg/kg

 ATEmix (inhalation-dust/mist)
 15.60 mg/l

 ATEmix (inhalation-vapour)
 21.40 mg/l

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Xylene (reaction mass of ethylbenzene and xylene)	=3500 mg/kg (Rattus)	>10000 mg/kg (Oryctolagus cuniculus)	=>47635 mg/L (Rattus) 4 h = >5000 ppm (Rattus) 4 h
RR-45541-4		Gambalasy	
Isocyanic acid, polymethylenepolyphenylene ester 9016-87-9	LD50 > 10000 mg/kg (Rattus)	LD 50 > 9400 mg/kg (Oryctolagus cuniculus)	=1.5 mg/L (Rattus) 4 h
2-Pyrrolidinone, 1-ethyl- 2687-91-4	ca. 3200 mg/kg (Rattus)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	LC50 (4h) Aerosol >5.1 mg/L (Rattus) (OECD 403)
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate RR-99853-8	LD50 > 2000 mg/kg (Rattus)	LD50 >9400 mg/Kg (Oryctolagus cuniculus)	LC50 (4h) = 0,49 mg/l (Rattus)

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.Serious eye damage/eye irritationClassification based on data available for ingredients. Causes serious eye irritation.Respiratory or skin sensitisationMay cause sensitisation by inhalation. May cause sensitisation by skin contact.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityContains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

	Chemical name	European Union
--	---------------	----------------

### PRIMAIRE 250 Supercedes Date: 21-Sep-2021

	—
Reaction mass of 4,4'-methylenediphenyl diisocyanate and	Carc. 2
o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl	
diisocyanate	
RR-99853-8	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity** Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
2-Pyrrolidinone, 1-ethyl- 2687-91-4	Repr. 1B

STOT - single exposure

May cause respiratory irritation.

- **STOT repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

- 11.2.1. Endocrine disrupting properties
- Endocrine disrupting properties No information available.
- 11.2.2. Other information

Other adverse effects No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Xylene (reaction mass	EC50 (72hr) 2.2	LC50(96h) 2.6	EC50 = 0.0084	LC50(24h) 1		
of ethylbenzene and	mg/l	mg/l	mg/L 24 h	mg/l (Daphnia		
xylene)	(Selenastrum	(Oncorhynchus	-	magna-OECD		
RR-45541-4	capricornutum)	mykiss-OECD		202)		
	. ,	203)				
Isocyanic acid,	ErC50 (72h)	CL50 (96h)	-	EC50 (24H)		
polymethylenepolyphen	>1640 mg/L	>1000 mg/L		>1000 mg/L		
ylene ester	Algae	(Danio rerio)		Daphnia magna		
9016-87-9	(scenedesmus					
	subspicatus)					
	(OECD 201)					
2-Pyrrolidinone,	CE50 (72h)	CL50 (96h)	-	CE50 (48h)		
1-ethyl-	>101 mg/L	464-999 mg/L		>104mg/L		
2687-91-4	(Desmodesmus	(Danio rerio)		Daphnia magna		
	subspicatus)	(OECD 203)		(OECD 202)		

### PRIMAIRE 250

201)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information			
Isocyanic acid, polymethylenepolyphenylene ester (9016-87-9)			
Method	Exposure time	Value	Results
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable
Biodegradability: Modified MITI Test	-	-	
(11)			

### 12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Xylene (reaction mass of ethylbenzene and xylene) RR-45541-4	3.15	25.9
Isocyanic acid, polymethylenepolyphenylene ester 9016-87-9	-	< 14
2-Pyrrolidinone, 1-ethyl- 2687-91-4	-0.2	-
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate RR-99853-8	4.51	-

### 12.4. Mobility in soil

Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Xylene (reaction mass of ethylbenzene and xylene) RR-45541-4	The substance is not PBT / vPvB
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate RR-99853-8	The substance is not PBT / vPvB

### 12.6. Other adverse effects

Other adverse effects

No information available.

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
European Waste Catalogue	08 02 99 wastes not otherwise specified
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Labels 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special Provisions Classification code Tunnel restriction code Limited Quantity (LQ) ADR Hazard Id (Kemmler Number)	UN1866 Resin solution 3 3 III UN1866, Resin solution, 3, III, (D/E) Not applicable None F1 (D/E) 5 L 30	
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Marine pollutant 14.6 Special Provisions Limited Quantity (LQ) EmS-No 14.7 Transport in bulk according	UN1866 Resin solution 3 III UN1866, Resin solution, 3, III, (42°C c.c.) NP 223, 955 5 L F-E, S-E <b>to Annex II of MARPOL and the IBC Code</b>	Not applicable

Air transport (ICAO-TI / IATA-DGR)	
14.1 UN number or ID number	UN1866
14.2 Proper Shipping Name	Resin solution
14.3 Transport hazard class(es)	3
14.4 Packing group	111
Description	UN1866, Resin solution, 3, III
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	A3
Limited Quantity (LQ)	10 L
ERG Code	3L

### Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents

### PRIMAIRE 250 Supercedes Date: 21-Sep-2021

at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Isocyanic acid, polymethylenepolyphenylene ester	9016-87-9	56 74.
2-Pyrrolidinone, 1-ethyl-	2687-91-4	30. 75.
Diisocyantes		74

### Reserved for industrial and professional use

56

If product supplied to the general public with substance  $\geq 0.1\%$ , then gloves must be provided with the product 74 If product supplied to the industrial or professional users with total monomeric diisocyanates  $\geq 0.1\%$ , then its packaging must mention "As from 24 August 2023 adequate training is required before industrial or professional use"

### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

### Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

### **Persistent Organic Pollutants**

Not applicable

### National regulations

### France

### **Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Xylene (reaction mass of ethylbenzene and xylene) RR-45541-4	RG 4bis,RG 84
Isocyanic acid, polymethylenepolyphenylene ester	RG 62

### PRIMAIRE 250

Supercedes Date: 21-Sep-2021

9016-87-9

### Germany\_\_\_\_

Ordinance on Industrial Safety and Health - Germany - BetrSichV Flammable liquid (R10), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 3

Water hazard class (WGK) obviously hazardous to water (WGK 2)

### Netherlands

# List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Chemical name	Netherlands - List of Carcinogens
Xylene (reaction mass of ethylbenzene and xylene) RR-45541-4	Development (Category 2)
2-Pyrrolidinone, 1-ethyl- 2687-91-4	Development (Category 1B)

# DenmarkRegistration number(s) (P-no.)No information availableNorwayRegistration number(s) (PRN-no.)No information available

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

### **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

- H226 Flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H360D May damage the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H412 Harmful to aquatic life with long lasting effects

TWA (time-weighted average) STEL (Short Term Exposure Limit) Ceiling Limit Value Skin designation Substance(s) of Very High Concern Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure
Specific target organ toxicity - Single exposure European Waste Catalogue

PRIMAIRE 250 Supercedes Date: 21-Sep-2021

# Key literature references and sources for data<br/>No information availableProduct Safety & Regulatory AffairsPrepared ByProduct Safety & Regulatory AffairsRevision date21-Sep-2021Indication of changesNot applicable.Revision noteNot applicable.Training AdviceAS FROM 24 AUGUST 2023 ADEQUATE TRAINING IS REQUIRED BEFORE<br/>INDUSTRIAL OR PROFESSIONAL USEFurther informationNo information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet