

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

ZWALUW HYBRISEAL FACADE WHITE Supercedes Date: 13-Aug-2020 Revision date 10-Aug-2021 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	ZWALUW HYBRISEAL FACADE WHITE
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant.
Uses advised against	Not to be used in production of toys or childcare articles.

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Espana par Compositor Stravinsky, 12-18 Poligone Industrial Can Jardi 08191 Rubi (Barcelona), Spain Tel: +34 93 586 02 00 Fax: +34 93 586 02 01

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & Dibutyltin dilaurate & Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	920-107-4	RR-100255-7	1 - <5	Asp. Tox. 1 (H304) (EUH066)		01-2119453414- 43-xxxx
Titanium dioxide	236-675-5	13463-67-7	1 - <3	Carc. 2 (H351i)		01-2119489379- 17-XXXX
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
Dibutyltin dilaurate	201-039-8	77-58-7	0.1- <1	STOT RE 1 (H372) Skin Corr. 1C (H314) Skin Sens. 1 (H317) Muta. 2 (H341) Repr. 1B (H360FD) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) STOT SE 1 (H370)		01-2119496068- 27-XXXX
Reaction mass of Bis(1,2,2,6,6-pentameth yl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	915-687-0	1065336-91- 5	0.01 - <0.1	Skin Sens. 1A (H317) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119491304- 40-XXXX

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

ZWALUW HYBRISEAL FACADE WHITE Supercedes Date: 13-Aug-2020

SECTION 4: First aid measu	res	
4.1. Description of first aid measur		
General advice	If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Call a doctor immediately. Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.	
4.2. Most important symptoms and	d effects, both acute and delayed	
Symptoms	None known.	
4.3. Indication of any immediate m	edical attention and special treatment needed	
Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.	
Unsuitable extinguishing media	Full water jet.	
5.2. Special hazards arising from t	he substance or mixture	
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.	
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon dioxide.	
5.3. Advice for firefighters		
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	ive equipment and emergency procedures	
Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.	
For emergency responders	Use personal protection recommended in Section 8.	

6.2. Environmental precautions

ZWALUW HYBRISEAL FACADE W Supercedes Date: 13-Aug-2020	HITE Revision date 10-Aug-2021 Revision Number 1.01
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.
7.3. Specific end use(s)	
Specific use(s) Sealant.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³
	*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

Titanium dioxide (13463-67-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker	Inhalation	10 mg/m ³			
Long term		5			
Local health effects					

Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	27,6 mg/m³	
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	

Dibutyltin dilaurate (77-58-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects worker	Dermal	0,43 mg/kg bw/d	
Short term Systemic health effects worker	Dermal	2,05 mg/kg bw/d	
Long term Systemic health effects worker	Inhalation	0,02 mg/m³	

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)

Derived No Effect Level (DNEL)			
Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Oral	700 mg/kg bw/d	
Long term Systemic health effects			

Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

Marine water	0.0184 mg/l	
Freshwater sediment	1000 mg/kg	
Freshwater	0.184 mg/l	
Marine sediment	100 mg/kg	
Soil	100 mg/kg	
Microorganisms in sewage treatment	100 mg/l	
Freshwater - intermittent	0.193 mg/l	

Trimethoxyvinylsilane (2768-02-7)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Dibutyltin dilaurate (77-58-7)

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0,463 µg/l
Freshwater sediment	0,05 mg/kg dry weight
Marine water	0,0463 µg/l
Marine sediment	0,005 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene [™] . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Paste White Characteristic No information available
Property	Values
pH	No data available
pH (as aqueous solution)	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling	No data available
range	
Flash point	> 66 °C
Evaporation rate	No data available
Flammability	No data available
Flammability Limit in Air	
Upper flammability or explosive	No data available

Remarks • Method

ZWALUW HYBRISEAL FACADE WHITE Supercedes Date: 13-Aug-2020 Revision date 10-Aug-2021 Revision Number 1.01

No data available
No data available
No data available
1.3
Immiscible in water
No data available
800 Pa.s
No data available
No data available
No information available
1.3 g/cm ³

10.1. Reactivity		
Reactivity	Product cures with moisture.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical	None.	
impact Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods.	
10.5. Incompatible materials		
Incompatible materials	None known based on information supplied.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.	
SECTION 11: Toxicological	information	

11.1. Information on toxicological effects

Information on likely routes of exposure

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

Product Information		
Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	Based on available data, the classification criteria are not met.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	No information available.	
Numerical measures of toxicity		

Acute toxicity The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-vapour) 775.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C12-C15,	LD50 >5000 mg/Kg (Rattus)	LD50 >5000 mg/Kg	LC50 >5000 mg/m ³
n-alkanes, isoalkanes, cyclics,	(OECD 401)	(Oryctolagus cuniculus)	(OECD 403)
< 2% aromatics		(OECD 402)	
RR-100255-7			
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
13463-67-7			
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
2768-02-7	(Rattus) OECD 401	cuniculus)	OECD TG 403
Dibutyltin dilaurate	=2071 mg/kg (Rattus) OECD	> 2000 mg/kg (Rattus)	
77-58-7	401		
Reaction mass of	LD50 = 3230 mg/Kg (Rat)	LD50 >3170 mg/Kg (Rat)	
Bis(1,2,2,6,6-pentamethyl-4-pi			
peridyl) sebacate and Methyl			
1,2,2,6,6-pentamethyl-4-piperi			
dyl sebacate			
1065336-91-5			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May produce an allergic reaction.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Dibutyltin dilaurate	Muta. 2
77-58-7	

Carcinogenicity

Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Dibutyltin dilaurate	Repr. 1B
77-58-7	

STOT - single exposure	Based on available data, the classification criteria are not met.
------------------------	---

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Hydrocarbons,	ErL50 (72h) >	LL50 (96h) >	-	LL50 (48h) >		
C12-C15, n-alkanes,	10000 mg/l	1028 mg/l		3193 mg/l		
isoalkanes, cyclics, <	(Skeletonema	(Scophthalmus		(Acartia tonsa -		
2% aromatics	costatum -ISO	maximus		ISO 14669)		
RR-100255-7	10253)	-OECD 203)				
Titanium dioxide	LC50 (96h)	-	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					
	variegatus)					
	OECD 203					

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

Revision date 10-Aug-2021 Revision Number 1.01

Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus)	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)	
	EU Method C.3	Пукізэ)		magna)	
Dibutyltin dilaurate 77-58-7	EC50 1 (72h) mg/L (desmodesmus subspicatus)	LC50: =2mg/L (48h, Oryzias latipes)	-	0,463 (48h) mg/L (daphnia magma)	
Reaction mass of Bis(1,2,2,6,6-pentamet hyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate 1065336-91-5	-	LC50 (96h) =0.9 mg/L	-	-	

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Exposure time	Value	Results		
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily		
Biodegradability: Manometric	-		biodegradable		
Respirometry Test (TG 301 F)			-		

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane	1.1	-
2768-02-7		
Dibutyltin dilaurate	4.44	-
77-58-7		

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2%	The substance is not PBT / vPvB
aromatics	
RR-100255-7	
Titanium dioxide	The substance is not PBT / vPvB
13463-67-7	PBT assessment does not apply
Trimethoxyvinylsilane	The substance is not PBT / vPvB
2768-02-7	
Dibutyltin dilaurate	The substance is not PBT / vPvB
77-58-7	
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	
1065336-91-5	

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions 14.7 Transport in bulk according	Not regulated Not regulated Not regulated Not regulated NP None to Annex II of MARPOL and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dibutyltin dilaurate	77-58-7	30. 20.

52

Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dibutyltin dilaurate - 77-58-7	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2%	RG 84
aromatics	
RR-100255-7	

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK)	slightly hazardous to water (WGK 1)
--------------------------	-------------------------------------

TRGS - 510 Storage Class	Storage Class 11 : Combustible solids
--------------------------	---------------------------------------

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

|--|

ZWALUW HYBRISEAL FACADE WHITE

Supercedes Date: 13-Aug-2020

Dibutyltin dilaurate 77-58-7 Fertility (Category 1B); Development (Category 1B)

DenmarkRegistration number(s) (P-no.)No information availableNorwayRegistration number(s) (PRN-no.)No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H341 - Suspected of causing genetic defects

H360FD - May damage fertility. May damage the unborn child

H361f - Suspected of damaging fertility

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legena

STEL STEL	(time-weighted average) - (Short Term Exposure Limit) ng Limit Value
* Skin	designation
SVHC Subs	tance(s) of Very High Concern
PBT Persi	stent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB Very	Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE Spec	ific target organ toxicity - Repeated exposure
STOT SE Spec	ific target organ toxicity - Single exposure
EWC Europ	bean Waste Catalogue

Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	10-Aug-2021
Indication of changes	
Revision note	SDS sections updated, 2, 3, 11.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

ZWALUW HYBRISEAL FACADE WHITE

Revision date 10-Aug-2021 Revision Number 1.01

Supercedes Date: 13-Aug-2020

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet