

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific
information for OEL

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020

Revision Date: 19-Aug-2020

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name ZWALUW HYBRISEAL 306 COATING GREY

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant

Uses advised againstNot to be used in production of toys or childcare articles.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Signal word

None

Hazard statements

Not classified

EU Specific Hazard Statements

EUH208 - Contains Dioctyltinbis(acetylacetonate). May produce an allergic reaction.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

EUH210 - Safety data sheet available on request.

2.3. Other Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Europe - BE Page 1/13

Revision Date: 19-Aug-2020

Revision Number 1

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020

•

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <5	Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
Titanium dioxide	236-675-5	13463-67-7	1 - <2.5	Carc. 2 (H351i)		01-2119489379- 17-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1- <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-000020199- 67-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Consult an

ophthalmologist.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. If swallowed, rinse mouth with water (only if the person is

conscious). Drink 1 or 2 glasses of water. Small amounts of toxic methanol are released

by hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

Europe - BE Page 2/13

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

Thermal decomposition can lead to release of irritating gases and vapours.

Revision Date: 19-Aug-2020

Hazardous combustion products

Carbon dioxide (CO2). Carbon monoxide.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

chemical

Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Europe - BE Page 3/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep at temperatures between 5 and 35 °C. Keep away from

food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union	
Methyl alcohol	TWA: 200 ppm	
67-56-1	TWA: 260 mg/m ³	
	*	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-	-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	27,6 mg/m³		
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d		

Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker	Inhalation	10 mg/m³		
Long term Local health effects				

Dioctyltinbis(acetylacetonate) (54068-28-9)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d		
Long term Systemic health effects worker	Inhalation	84 mg/m³		
Short term Systemic health effects	Inhalation	84 mg/m³		

Europe - BE Page 4/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

worker			
Long term	Inhalation	0.091 mg/m³	
Short term		-	
Local health effects			
worker			

Derived No Effect Level (DN	Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768	3-02-7)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level	Safety factor	
		(DNEL)		
Consumer	Oral	700 mg/kg bw/d		
Long term				
Systemic health effects				

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

Titanium dioxide (13463-67-7)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Marine water	0.0184 mg/l		
Freshwater sediment	1000 mg/kg		
Freshwater	0.184 mg/l		
Marine sediment	100 mg/kg		
Soil	100 mg/kg		
Microorganisms in sewage treatment	100 mg/l		
Freshwater - intermittent	0.193 mg/l		

Dioctyltinbis(acetylacetonate) (54068-28-9)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	26 μg/l		
Marine water	2.6 μg/l		
Freshwater - intermittent	260 μg/l		
Sewage treatment plant	1 mg/l		
Freshwater sediment	0.155 mg/kg dry weight		
Marine sediment	0.0155 mg/kg dry weight		
Soil	0.0158 mg/kg dry weight		

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

= ...a... aasquate rentmatisti, especially in commissi alload.

Europe - BE Page 5 / 13

ZWALUW HYBRISEAL 306 COATING GREY Revision Date: 19-Aug-2020

Personal Protective Equipment

Supercedes Date: 19-Aug-2020

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear suitable gloves. Recommended Use: Nitrile rubber. Butyl rubber. Neoprene™.

Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater

Revision Number 1

than 480 min. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

Respiratory protection In case of inadequate ventilation wear respiratory protection. During spraying wear

suitable respiratory equipment. Wear a respirator conforming to EN 140 with Type A/P2

filter or better.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColourGrey

Odour Characteristic

Odour threshold No information available

Property Values Remarks • Method

pH Not applicable No data available

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
No data available
No data available
No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableVapour densityNo data available

Relative density 1.44

Water solubility Insoluble in water Product cures with

moisture

Solubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data available

Decomposition temperature

Kinematic viscosity > 21 mm²/s @ 40°C

Dynamic viscosity

Explosive properties

Oxidising properties

No data available

No data available

No data available

9.2. Other information

Solid content (%) No information available VOC Content (%) No information availableapprox. 51 g/L / 3.55 %

Density 1.44 g/cm³

SECTION 10: Stability and reactivity

Europe - BE Page 6/13

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Sm

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Revision Date: 19-Aug-2020

curing.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information .

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 4,217.50 mg/kg ATEmix (inhalation-vapour) 473.27 mg/l

Component Information

Europe - BE Page 7/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant	

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser	
Sensitisation				

Dioctyltinbis(acetylacetonate) (54068-28-9)				
Method	Species	Exposure route	Results	
OECD Test No. 429: Skin		Dermal	> 5 % sensitising	
Sensitisation: Local Lymph Node			_	
Assay				

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Species	Results		
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic		

Carcinogenicity

As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

Europe - BE Page 8/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information				
Titanium dioxide (13463-67-7)				
Method	Species	Results		
Oral	Rat	Not Carcinogenic		
Inhalation Xu et al (2010), carcinogenic activity	Rat	Carcinogenic		
of nanoscale TiO2 administered by an				
intrapulmonary spraying (IPS) -				
initiation-promotion protocol in rat lung				

Reproductive toxicity

Based on available data, the classification criteria are not met.

Component Information			
Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Results	
OECD Test No. 422: Combined Repeated	Rat	Not Classifiable	
Dose Toxicity Study with the			
Reproduction/Developmental Toxicity			
Screening Test			

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity .

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	` mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)		
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
Dioctyltinbis(acetylacet onate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)	-	EC50 (48h) =58.6 mg/L (Daphnia magna)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Exposure time	Value	Results	

Europe - BE Page 9/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

OECD Test No. 301F: Ready
Biodegradability: Manometric
Respirometry Test (TG 301 F)

BOD
51 % Not readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane	1.1	-
2768-02-7		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or

vPvB..

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
2768-02-7	
Titanium dioxide	The substance is not PBT / vPvB
13463-67-7	PBT assessment does not apply
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB
54068-28-9	

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

Europe - BE Page 10/13

Revision Date: 19-Aug-2020

Revision Number 1

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020

14.6 Special Provisions None

IMDG

Not regulated 14.1 UN number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards None

14.6 Special Provisions

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH
		Annex XVII
Diisononyl phthalate	28553-12-0	52[a].

52

Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Europe - BE Page 11/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

Persistent Organic Pollutants

Not applicable

National regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H371 - May cause damage to organs

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 19-Aug-2020

Indication of changes

Europe - BE Page 12/13

Revision Date: 19-Aug-2020

ZWALUW HYBRISEAL 306 COATING GREY

Supercedes Date: 19-Aug-2020 Revision Number 1

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 13/13