

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021 Revision date 09-Nov-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name
Pure substance/mixture

ZWALUW BUTYLENE-X BLACK Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Uses advised against

Sealant. None known.

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Cobalt bis(2-ethylhexanoate). May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available.

PBT & vPvB

ZWALUW BUTYLENE-X BLACK

Supercedes Date: 09-Nov-2021

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Strontium bis(2-ethylhexanoate)	219-536-3	2457-02-5	0.1- <1	Skin Irrit. 2 (H315) Acute Tox. 4 (H302) Eye Dam. 1 (H318) Repr. 2 (H361d)		-
Cobalt bis(2-ethylhexanoate)	205-250-6	136-52-7	0.01 - <0.1	Eye Irrit. 2 (H319) Skin Sens. 1A (H317) Repr. 1B (H360f) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)		01-2119524678- 29-XXXX

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021

	give anything by mouth to an unconscious person.				
4.2. Most important symptoms and	effects, both acute and delayed				
Symptoms	ms No information available.				
.3. Indication of any immediate medical attention and special treatment needed					
Note to doctors	ote to doctors Treat symptomatically.				
SECTION 5: Firefighting mea	asures				
5.1. Extinguishing media					
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media	No information available.				
5.2. Special hazards arising from the	ne substance or mixture				
Specific hazards arising from the chemical	No information available.				
Hazardous combustion products	Carbon dioxide (CO2). Silicon dioxide.				
5.3. Advice for firefighters					
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.				
SECTION 6: Accidental relea	ise measures				
6.1. Personal precautions, protection	ve equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation.				
For emergency responders	Use personal protection recommended in Section 8.				
6.2. Environmental precautions					
Environmental precautions	See Section 12 for additional Ecological Information.				
6.3. Methods and material for conta	ainment and cleaning up				
Methods for containment	Do not scatter spilled material with high pressure water streams.				
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.				
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.				
6.4. Reference to other sections					
Reference to other sections	See section 8 for more information. See section 13 for more information.				
SECTION 7: Handling and st	orage				

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021

Revision date 09-Nov-2021 Revision Number 1

General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.			
7.2. Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.			
7.3. Specific end use(s)				
Specific use(s) Sealant.				
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.			
Other information	Observe technical data sheet.			
SECTION 8: Exposure controls/personal protection				

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Cobalt bis(2-ethylhexanoate) (136-52-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Local health effects	Inhalation	235.1 μg/cm²			

Derived No Effect Level (DNEL)					
Cobalt bis(2-ethylhexanoate) (136-52-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Local health effects	Inhalation	37 μg/cm²			
Consumer Long term Systemic health effects	Oral	55.8 μg/Kg bw/day			

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)				
Cobalt bis(2-ethylhexanoate) (136-52-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	3 µg/l			
Marine water	2.36 µg/l			
Sewage treatment plant	0.37 µg/l			
Freshwater sediment	9.5 mg/kg dry weight			
Marine sediment	9.5 µg/l			
Soil	10.9 mg/kg dry weight			

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021

8.2. Exposure controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye/face protection Skin and body protection	Tight sealing safety goggles. Suitable protective clothing.
Environmental exposure controls	No information available.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Paste See section 1 for more information Characteristic No information available	
Property	Values	Remarks • Method
pH		
pH (as aqueous solution)	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling	No data available	
range	400.00	
Flash point	> 100 °C	
Evaporation rate	No data available	
Flammability	No data available	
Flammability Limit in Air	NI 1.4 9111	
Upper flammability or explosive limits	No data available	
Lower flammability or explosive	No data available	
limits		
Vapour pressure	No data available	
Relative vapour density	No data available	
Relative density	No data available	
Water solubility	Immiscible in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	> 21 mm²/s	
Dynamic viscosity	No data available	
Explosive properties	No data available	
Oxidising properties	No data available	
9.2. Other information Solid content (%) VOC Content (%)	No information available	
Density	1.67	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

ZWALUW BUTYLENE-X BLACK

Supercedes Date: 09-Nov-2021

10.2. Chemical stability					
Stability	Stable under normal conditions.				
xplosion data					
Sensitivity to mechanical impact	None.				
Sensitivity to static discharge	None.				
10.3. Possibility of hazardous reac	tions				
Possibility of hazardous reactions	None under normal processing.				
10.4. Conditions to avoid					
Conditions to avoid	None known based on information supplied.				
10.5. Incompatible materials					
Incompatible materials	None known based on information supplied.				
10.6. Hazardous decomposition pr	oducts				
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.				
SECTION 11: Toxicological information					
SECTION 11: Toxicological	information				
SECTION 11: Toxicological					
	effects				
11.1. Information on toxicological	effects				
11.1. Information on toxicological	effects				
11.1. Information on toxicological Information on likely routes of exp Product Information	effects osure				
11.1. Information on toxicological Information on likely routes of exp Product Information Inhalation	effects osure Based on available data, the classification criteria are not met.				
11.1. Information on toxicological Information on likely routes of exp Product Information Inhalation Eye contact	effects osure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.				
11.1. Information on toxicological Information on likely routes of exp Product Information Inhalation Eye contact Skin contact Ingestion	effects osure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.				
11.1. Information on toxicological Information on likely routes of exp Product Information Inhalation Eye contact Skin contact Ingestion	effects osure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.				
11.1. Information on toxicological Information on likely routes of exp Product Information Inhalation Eye contact Skin contact Ingestion Symptoms related to the physical,	effects osure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Chemical and toxicological characteristics				
11.1. Information on toxicological Information on likely routes of exp Product Information Inhalation Eye contact Skin contact Ingestion Symptoms related to the physical, Symptoms	effects osure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Chemical and toxicological characteristics				

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Strontium		> 2000 mg/kg (Rat)	
bis(2-ethylhexanoate)			
2457-02-5			

ZWALUW BUTYLENE-X BLACK

Cobalt bis(2-ethylhexanoate) 136-52-7		> 5000 mg/kg (Oryctolagus cuniculus)	>10 mg/L (Rattus) 1 h
Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Skin corrosion/irritation	Based on available data,	the classification criteria are not	met.
Serious eye damage/eye irritati	on Based on available data,	the classification criteria are not	met.
Respiratory or skin sensitisatio	n Based on available data,	the classification criteria are not	met.
Germ cell mutagenicity	Based on available data,	the classification criteria are not	met.
The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.			are listed as mutagenic.
Carcinogenicity	Based on available data,	the classification criteria are not	met.
Reproductive toxicity	Based on available data,	the classification criteria are not	met.
STOT - single exposure	Based on available data,	the classification criteria are not	met.
STOT - repeated exposure	Based on available data,	the classification criteria are not	met.
Aspiration hazard	Based on available data,	the classification criteria are not	met.
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Cobalt	-	EC50 1.5 mg/L	-	-	1	
bis(2-ethylhexanoate)		dissolved cobalt				
136-52-7		- read-across				

12.2. Persistence and degradability

Persistence and degradability No information available.

ZWALUW BUTYLENE-X BLACK

Supercedes Date: 09-Nov-2021

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Strontium bis(2-ethylhexanoate) 2457-02-5	PBT assessment does not apply
Cobalt bis(2-ethylhexanoate) 136-52-7	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

	14.1 UN number or ID number	Not regulated	
	14.2 Proper Shipping Name	Not regulated	
	14.3 Transport hazard class(es)	Not regulated	
	14.4 Packing group	Not regulated	
	14.5 Environmental hazards	Not applicable	
	14.6 Special Provisions	None	
	IMDG		
	14.1 UN number or ID number	Not regulated	
	14.2 Proper Shipping Name	Not regulated	
	14.3 Transport hazard class(es)	Not regulated	
	14.4 Packing group	Not regulated	
	14.5 Marine pollutant	NP	
	14.6 Special Provisions	None	
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code			Not applicable

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Cobalt bis(2-ethylhexanoate)	RG 65,RG 70
136-52-7	

<u>Germany</u>

Ordinance on Industrial Safety and Health - Germany - BetrSichV No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

DenmarkRegistration number(s) (P-no.)No information availableNorwayRegistration number(s) (PRN-no.)No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H319 - Causes serious eye irritation H360F - May damage fertility H361d - Suspected of damaging the unborn child H400 - Very toxic to aquatic life H412 - Harmful to aquatic life with long lasting effects Legend TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Ceiling Ceiling Limit Value Skin designation SVHC Substance(s) of Very High Concern

PBTPersistent, Bioaccumulative, and Toxic (PBT) ChemicalsvPvBVery Persistent and very Bioaccumulative (vPvB) ChemicalsSTOT RESpecific target organ toxicity - Repeated exposureSTOT SESpecific target organ toxicity - Single exposureEWCEuropean Waste Catalogue

Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	09-Nov-2021
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

ZWALUW BUTYLENE-X BLACK Supercedes Date: 09-Nov-2021 Revision date 09-Nov-2021 Revision Number 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet