

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

SECTION 1: Identification of the substance/mixtur	re and of the company/undertaking
· 1.1 Product identifier	
· Trade name: <u>ZWALUW FOAM CLEANER 400ML</u>	
 Article number: 12009727 1.2 Relevant identified uses of the substance or mixture and u Sector of Use 	ses advised against
 SU21 Consumer uses: Private households / general public / cons SU22 Professional uses: Public domain (administration, education) Product category PC35 Washing and cleaning products (including) Environmental release category ERC8a Widespread use of non-reactive processing aid (no including) 	on, entertainment, services, craftsmen) ling solvent based products) sion into or onto article, indoor)
ERC8b Widespread use of reactive processing aid (no inclusion • Application of the substance / the mixture Cleaning material/ D	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: DEN BRAVEN Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 (0)162-491000 Fax: +31 (0)162-421217 E-mail: info@denbraven.com Internet: www.denbraven.com Further information obtainable from: Product safety department. info@denbraven.com 1.4 Emergency telephone number: info@denbraven.com Tel: +31 (0)162-491000 	
SECTION 2: Hazards identification	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 	
GHS02 flame	
Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurise	ed container: May burst if heated.
GHS07	
Eye Irrit. 2 H319Causes serious eye irritation.	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regula Hazard pictograms 	ation.
GHS02 GHS07	
• Signal word Danger • Hazard statements	
H222-H229 Extremely flammable aerosol. Pressurised container:	May burst if heated.
H319 Causes serious eye irritation.	(Contd. on page 2)
	G

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

_

Trade name: ZWALUW FOAM CLEANER 400ML

	(Contd. of page 1)
 Precautionary 	<i>y</i> statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours or spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection / face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container to hazardous or special waste collection point.
· Additional inf	ormation:
Buildup of exp	losive mixtures possible without sufficient ventilation.
· 2.3 Other haza	ards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Flam. Liq. 2, H225; (1) Eye Irrit. 2, H319; STOT SE 3, H336	10-<20%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1, H220; Press. Gas C, H280	2.5-<5%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1, H220; Press. Gas C, H280	2.5-<5%
CAS: 1336-21-6 EINECS: 215-647-6 Reg.nr.: 02-2119752451-43-xxxx	ammonia Skin Corr. 1B, H314; Aquatic Acute 1, H400; STOT SE 3, H335	0.1-<1.0%
CAS: 137-16-6 EINECS: 205-281-5 Reg.nr.: 01-2119527780-39-xxxx	Sodium Lauryl Sarcosinate Acute Tox. 2, H330; 🏈 Eye Dam. 1, H318; 🚯 Skin Irrit. 2 H315	0.1-<1.0%
· Regulation (EC) No 648/2004 or	detergents / Labelling for contents	
aliphatic hydrocarbons		5 - 15%
anionic surfactants, perfumes (D-I	JMONENE, CITRAL)	< 5%
• Additional information: For the	wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

\cdot 4.1 Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

⁻ GB

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

Trade name: ZWALUW FOAM CLEANER 400ML

Immediately remove any clothing soiled by the product.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Foam
- Fire-extinguishing powder
- Carbon dioxide
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- Can form explosive gas-air mixtures.
- Formation of toxic gases is possible during heating or in case of fire.
- Carbon monoxide and carbon dioxide
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required.

(Contd. on page 4)

(Contd. of page 2)

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

(Contd. of page 3)

Trade name: ZWALUW FOAM CLEANER 400ML

- Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.
- · Respiratory protection: Not necessary if room is well-ventilated.
- Recommended filter device for short term use: Filter AX
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves
- Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

- (EN 374)
- · Penetration time of glove material
- ≥240 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

- (EN 166)
- **Body protection:** Protective work clothing (EN 13034-6)

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical a General Information 	nd chemical properties	
· Appearance:		
Form:	Aerosol	
Colour:	White	
· Odour:	Fruit-like	
· pH-value at 20 °C:	<11.5	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	< 0 °C	
		(Contd. on page 5

- GB

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

Trade name: ZWALUW FOAM CLEANER 400ML

	(Contd. of page 4)
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	>200 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.92608 g/cm ³
· Vapour density	Not determined.
 Evaporation rate 	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wa	iter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	22.5 %
Water:	75.7 %
VOC (EC)	208.2 g/l
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Aldehyde

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h 294 mg/l

CAS: 67-63-0 propan-2-ol

		5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)

(Contd. on page 6)

⁻ GB

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

(Contd. of page 5)

Trade name: ZWALUW FOAM CLEANER 400ML

Inhalative LC50/4 h 30 mg/l (rat) CAS: 75-28-5 isobutane

Inhalative LC50/4 h >50 mg/l (rat)

CAS: 74-98-6 propane

Inhalative LC50/4 h 20 mg/l (rat)

CAS: 137-16-6 Sodium Lauryl Sarcosinate

Inhalative LC50/4 h 0.5 mg/l (ATE)

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- \cdot Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- \cdot STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 04*	gases in pressure containers (including halons) containing hazardous substances
15 01 04	metallic packaging

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR,RID,ADN, IMDG, IATA

UN1950

(Contd. on page 7)

— GB

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

Trade name: ZWALUW FOAM CLEANER 400ML

	(Contd. of page
14.2 UN proper shipping name ADR/RID/ADN	
ADK/RID/ADN IMDG	UN1950 AEROSOLS AEROSOLS
IATA	AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	ALKOSOLS, Haililladic
ADR/RID/ADN	
*	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
	
Class	2.1
Label	2.1
14.4 Packing group ADR,RID,ADN, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity abov
	1 litre: Category B. For WASTE AEROSOLS: Categor
	C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of
	litre: Segregation as for class 9. Stow "separated from
	class 1 except for division 1.4. For AEROSOLS with
	capacity above 1 litre: Segregation as for the appropriat
	subdivision of class 2. For WASTE AEROSOLS Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
_	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	11
Limited quantities (LQ)	1L Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity

GB -

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

(Contd. of page 7)

Trade name: ZWALUW FOAM CLEANER 400ML

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $150 \ t$
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 28, 29
- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

- Employment restrictions concerning pregnant and lactating women must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. · Department issuing SDS: Product safety department. · Contact: Kees van Bemmel / Pascal Timmermans · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols - Category 1 Press. Gas C: Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B (Contd. on page 9)

- GB

Printing date 11.10.2016

Version number 86

Revision: 11.10.2016

Trade name: ZWALUW FOAM CLEANER 400ML

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

 \cdot * Data compared to the previous version altered.

(Contd. of page 8)

GB